

CHART NO. 1

MIND WORKING THROUGH FIVE ETHERIC PATTERN FIELD OVALS WITH SIX GOVERNING CENTERS CONNECTED BY THE ULTRA-SONIC CENTRAL BEAM.

OVALS AND CENTERS

FIRST OVAL IS THE HEAD FOR CONTROL AND DIRECTION. (FIRE OR INTELLIGENCE)

SECOND OVAL IS THE THROAT. A LINK FOR EXPRESSION THROUGH SPEECH. (ETHER AND SOUND)

THIRD OVAL IS THE CHEST. THE HEART EXPRESSES THE LIFE ENERGY IN FLUIDIC FORM THE LUNGS AND DIAPHRAGM AS GASEOUS FUNCTION. (AIR)

FOURTH OVAL IS THE ABDOMEN NOURISHING AND SUSTAINING THE BODY. (EARTH ENERGY)

FIFTH OVAL IS THE PELVIS PERPETUATING THE PATTERN FORM. (WATER ENERGY)

THREE FIELDS AND CENTERS ARE NECESSARY TO EXPRESS THE SOUL AS INTELLIGENCE, SPEECH, LIFE AND MOTION. TWO FIELDS AND THREE CENTERS ARE NECESSARY TO SUSTAIN AND PERPETUATE THE BODY.

ARMS AND LEGS ARE EXTENSION LEVERS TO OVERCOME GRAVITY BY MOTION OF SHIFTING POLARITY FORCES FROM A POSITIVE THROUGH A NEUTER TO A NEGATIVE POLE AND REPEAT.

THE MOST ANCIENT AND PERFECT ARROW OR ROCKET DESIGNED BY NATURE SELF-PROPELLED AND SELF-DIRECTED.



Fig. 7 -Diagram showing the general characteristics of the spermatozoa of various vertebrates: a, Lance; b, segments of the accessory thread; c, accessory thread; d, body of the head; e, terminal nodule; f, middle piece; g, marginal thread; h, axial thread; i, undulating membrane; k, fibrils of the axial thread; l, fibrils of the marginal thread; m, end piece of Retzius; n, rudder-membrane.

CURRENT CONNECTION OF CENTERS




Fig. 1

CONTINUOUS ENERGY FLOW THROUGH CENTERS

LINKING EACH BRAIN LOBE TO THE OPPOSITE SIDE OF THE BODY




Fig. 3




Fig. 4




Fig. 5

POSTERIOR VIEW





Fig. 6

CELLS ARE MINATURE OVALS WITH THE FIVE MODALITIES OF MATTER IN ACTION IN EVERY LIVING CELL.

STRAIGHT LINES OF MATERIAL GEOMETRIC EXTENSION USED IN MECHANICS. EXPANSION AND CONTRACTION BY MECHANICAL MEANS SUCH CONGESTIONS ARE SEEN IN THE MUSCLES OF THE BACK.

CHART OF THE SUBTLE PRANA CURRENTS IN THE HUMAN BODY AND THEIR CHAKRAS AS WHIRLING PRIMARY FUNCTIONAL CENTERS OF ENERGY.



MIND AND PRANA (LIFE BREATH) FUNCTION THRU THE FIELDS OF MATTER AND ITS CENTERS.

THESE ENERGY LINES ARE PURELY FUNCTIONAL AND PHYSIOLOGICAL AS LONGITUDINAL INFLUENCE ARISING FROM THE CHAKRAS AND FORMING THE FIVE SENSORY AND THE FIVE MOTOR CURRENTS FLOWING THROUGH THE BODY TO EACH DIGIT OF THE HANDS AND FEET. IN THE TREATMENT OF FUNCTIONAL BLOCKS OR DISTURBANCE OF THE FIVE SENSES THESE AREAS ARE USEFUL WHEN THE PHYSIOLOGY IS MOSTLY INVOLVED.

THE CENTER LINE THROUGH THE BODY IS THE LOCATION OF THE PATH OF THE ULTRA-SONIC ENERGY SUBSTANCE AS THE PRIMARY LIFE CURRENT AND THE CORE OF BEING. IT FLOWS THROUGH THE SIXTH VENTRICLE OF THE BRAIN AND THE SPINAL CORD. IT HAS FIVE STEP-DOWN CENTERS BELOW THE BRAIN FOR THE SPECIALIZATION OF FUNCTIONS WHICH WE CALL THE LAWS OF NATURE FOR MOTION, LIFE AND THE PRESERVATION OF THE SPECIES. THESE CENTERS IN THE FIVE OVAL ETHERIC FIELDS ARE THE CORE OF THE WIRELESS ANATOMY OF THE FINEST PARTICLES OF MATTER KNOWN AS CHAKRAS OR LOTUSES. AS THEY WHIRL IN A RIGHT HAND DIRECTION FROM THE BACK, EACH OF THE FIVE CENTERS GIVES OFF ONE WAVE OF ITS SPECIAL QUALITY OF VIBRATORY ENERGY FLOWING AS AN ELECTRO-MAGNETIC CIRCUIT TO EACH FINGER AND TOE. IN THIS MANNER THE SENSORY AND THE FIVE MOTOR SENSES ARE CREATED AND FUNCTION IN THE BODY.

PSYCHIC PHENOMENA AND SPECIAL SENSE DEVELOPMENT IS DUE TO THE STIMULATION OF A CHAKRA BY CONCENTRATION OF MIND ENERGY OR INTEREST IN ITS FUNCTION. ANIMALS DEPEND ON THE KEENNESS OF ONE SENSE FOR THEIR DIRECTION AND SAFETY.

THE SIX VENTRICLES OF THE BRAIN - RELATE TO THE SIX SPINNING CHAKRAS

THE TWO PETALLED CENTER IN THE FORE-HEAD IS THE SEAT OF CONSCIOUSNESS IN THE BRAIN. IT DESCENDS AS A DUAL CURRENT IN A SERPENTINE TWISTING MOTION POLARIZING AND DEPOLARIZING IN EACH CENTER OF THE FIVE ETHERIC FIELDS.

ETHERIC CENTER
VOICE - HEARING
THROAT

AIRY CENTER
RESPIRATION
CIRCULATION
LUNGS
HEART

THE FIRE OF DIGESTION
STOMACH
BOWELS


WATER CENTER
GENERATIVE FORCE
EMOTIONAL DRIVE
PELVIC ORGANS
GLANDULAR SECRETIONS

EARTHY CENTER.
ELIMINATION
OF SOLIDS
AND LIQUIDS.
RECTUM
BLADDER

SWASTIKA SYMBOL IN THE BODY




THE HAND IS THE SAME FUNCTIONAL NEUTER POLE AS THE FOOT IS THE NEGATIVE POLE. CHART NO. 4 GIVES DEFINITE REGIONAL ANATOMICAL LOCATIONS FOR AFFECTING STRUCTURAL CHANGES BY MANIPULATION OR PRESSURE ON DEFINITE REFLEX AREAS.



A SPINNING CENTER OR CHAKRA WITH A CRANK INSERTED FROM THE BACK. THE WHEEL GIVES OFF SHOOTS OF ENERGY BY ROTATION UPWARD ON THE LEFT SIDE AND DOWNWARD ON THE RIGHT SIDE AS A RIGHT HAND TURN.

CHART NO. 3

COMPOSITE PICTURE OF THE PATTERN FORCES OF THE BODY AND THEIR WIRELESS CIRCUITS.



N
S
ACTUAL LINES OF ELECTRO MAGNETIC FORCE AROUND A SOLENOID

N
S
A BAR MAGNET WITH CONCENTRATION OF IRON FILINGS AT THE POLES SIMILAR TO HEAD + PELVIS

A BAR MAGNET AND ITS FIELD AS LINES OF FORCE

META-KINESIS STAGE
MITOTIC CELL-DIVISION OF FERTILIZED WHITEFISH EGGS

VACULE
PLASTID
TWISTED FILAMENT
PLASMA MEMBRANE
NUCLEAR MEMBRANE
NUCLEAR FLUID
CUTICLE
NUCLEOLUS
ATTRACTION-SPHERES CONTAINING CENTROSOMES

A MICROSCOPIC CELL. THE TWISTED FILAMENTS IN THE CENTER HAVE SELF INDUCTIVE ELECTRIC CAPACITY THROUGH OSCILLATION. CHROMOSOMES AND TUBULES ARE MADE UP OF INSULATING MATERIAL AND FILLED WITH MINERAL SALTS SIMILAR TO THE OCEAN FOR CONDUCTION OF ENERGY.

ULTRA-SONIC CORE

THE POLARITY OF THE SERPENTINE BRAIN CURRENT IS REVERSED IN THE CENTER OF EACH OVAL FIELD WHERE THE CURRENTS CROSS OVER EACH OTHER. THUS STEPPING DOWN THE VIBRATORY INTENSITY OF THE CURRENTS ALSO CHANGING THE NATURE OF ITS FUNCTION IN EVERY CENTER AND FIELD

THE OVAL HORIZONTAL LINES AROUND THE BODY ARE THE ELECTRO-MAGNETIC WIRELESS CURRENTS WHICH GIVE TONE TO THE CIRCULAR FIBRES OF THE MUSCLES. THEY CORRESPOND TO THE CURRENTS FROM EAST TO WEST IN THE ATMOSPHERE

THE ULTRA SONIC ENERGY FORMS THE 6TH VENTRICLE OF THE BRAIN AND SPINAL CORD. IT BECOMES THE PRIMITIVE STREAK AND THE NOTOCHORD IN THE EMBRYO.

THE DOTTED VERTICAL LINES ARE ELECTRO MAGNETIC WAVES FLOWING THROUGH THE LONGITUDINAL MUSCLE FIBRES OF THE BODY, GIVING THEM TONE AND MAINTAIN THE BODY UPRIGHT AGAINST THE INERTIA OF EARTH'S GRAVITY

THE HANDS SHOULD BE TURNED UP WITH THE THUMBS FORWARD. BUT FOR CLARITY OF ILLUSTRATING THE 5 CURRENTS GOING THROUGH THE 5 FINGERS THEY ARE SHOWN THUS.

THE FINE WHITE LINE IN THE CENTRAL CORE IS THE ULTRA SONIC ENERGY CURRENT OF THE SOUL. IT IS THE PRIMARY ENERGY WHICH BUILDS AND SUSTAINS ALL OTHERS. IT FLOWS THROUGH THE 6TH VENTRICAL OF THE BRAIN AND SPINAL CORD WHEN THESE ARE FORMED OUT OF ITS MIND PATTERN ENERGY FIELD. THIS CORE IS THE CENTER OF ATTRACTION AND EMANATION OF ALL CURRENTS FROM THE BRAIN TO THE EXTREMITIES. IT IS THE INTERNAL GRAVITY OF THE INDIVIDUAL ENERGY AND LINES OF FORCE, DISTINCT FROM THE GRAVITY OF THE EARTH. THIS IS THE TRUE BASIS FOR INDIVIDUAL THERAPY.

A CARBON ATOM WITH 6 ELECTRONS CIRCLING AROUND A HEAVY NEUCLEUS CONTAINING 6 ELEMENTARY UNITS OF POSITIVE ELECTRIC CHARGE.


ELECTRO-MAGNETIC ENERGY ATTRACTS TO ITS OWN CENTER OF POLARITY IN OVAL WAVES. IT IS PRIOR TO THE GRAVITY OF THE EARTH, BECAUSE IT OVERCOMES IT BY MUSCULAR MOTION MOVED BY ENERGY IMPULSES. EARTH GRAVITY ATTRACTS TO ITS CENTER OF GRAVITY IN STRAIGHT LINES OF FORCE BY THE SQUARE OF THE DISTANCE

CHART NO. 4

DIAGNOSTIC AND THERAPEUTIC CHART OF BODY AREAS BASED ON THE REGIONAL RELATION OF WIRELESS CURRENTS OF ENERGY FLOW.

+ POSITIVE POLE O NEUTER POLE - NEGATIVE POLE
 OF EACH AREA IN EXACT RELATIONSHIP TO THE WHOLE
 FOR DIAGNOSTIC AND THERAPEUTIC PURPOSE.

THE SUPERIOR RULES THE
 INFERIOR. THE INFERIOR
 REACTS UPON THE SUPERIOR
 BY RETURN CURRENT FLOW.



SENSITIVE AREAS FOUND IN
 THESE PARTS ARE DIAGNOSTIC
 AND RELATE TO EACH OTHER
 AS ILLUSTRATED. PRESSURE
 OR MANIPULATION OF THESE
 AREAS HAS A DEFINITE
 THERAPEUTIC EFFECT ON
 THE OTHER POLES, +, O OR -
 BY THE WIRELESS ENERGY
 CURRENTS.

THE GREATEST SENSITIVENESS
 FOUND BY TOUCH IN ANY
 RELATED AREA + O -
 SHOWS THE SEAT OF THE
 ACTIVE CURRENT INTERFERENCE.

THIS CHART GIVES A POLARITY
 RELATIONSHIP OF ANATOMICAL
 STRUCTURES TO EACH OTHER.
 IT IS A PART OF THE WIRELESS
 CURRENT SYSTEM IN THE ANAT-
 OMY OF MAN. THESE ARE ELECTRO
 MAGNETIC MUSCULAR CURRENTS
 FROM ABOVE DOWNWARD, AND
 THEY ACT INVERSELY AS TENSION
 REFLEXES FROM BELOW UPWARD.

THE NINE AREAS MARKED $\frac{1}{3}$ ARE NOT EQUAL IN
 SIZE BUT ARE EXACT IN RELATION TO EACH OTHER.
 THEY ARE EQUIVALENT TO THE NINE OPENINGS IN
 THE BODY FOR THE OUTLET OF ENERGY.


THE ANTERIOR SOFT SENSORY
 PORTION OF THE HANDS AND
 FEET RESPOND TO THE ANTERIOR
 SENSORY FIELD OF THE BRAIN
 AND BODY CURRENTS. THE
 POSTERIOR MOTOR AREAS ARE
 ON THE REVERSE SIDE.

TRACING THESE CURRENTS + O -
 IN ANY AREA IS AN INTERESTING
 ART AS A DIAGNOSIS OF CAUSES
 AND MOST EFFECTIVE AS THERAPY
 IN REMOVING THE INTERRUPTION
 OF THE CURRENT.

ANY TISSUE WHICH IS IN A CONSTANT
 STATE OF CONTRACTION OR FLACCIDITY
 REVEALS AN ENERGY BLOCK IN ITS
 CIRCUIT OF CONDUCTION OR IN THE
 WIRELESS PATTERN OF ENERGY FLOW.

THIS IS AN ANATOMICAL RELATIONSHIP
 CHART OF CORRESPONDING BODY AREAS
 OF POSITIVE, NEGATIVE AND NEUTER
 REACTIONS. ITS FOUNDATION IS BASED
 UPON THE EMBRYONIC DEVELOPMENT
 AND POSITION OF THE CHILD IN THE
 MOTHER'S WOMB.

ELECTRO-MAGNETIC WAVES OF THE BODY AND THEIR POLARITY



DOWNWARD FLOW FROM NEGATIVE POLE ANTERIOR

UPWARD FLOW FROM POSITIVE POLE ANTERIOR TO POSTERIOR NEGATIVE ON HEAD.

IF THE FOOT WAS FLEXED ANTERIORLY THE TOP OR BONY PORTION WOULD REFLECT TO THE POSTERIOR WITH WHICH IT POLARIZES.

Fig. 1

HOW ENERGY FLOWS FROM HEAD




Fig. 2

THE WAVES OF ELECTRO MAGNETIC LINES OF FORCE IN THE HUMAN BODY ARISING FROM THE CENTER CORE AND THE BRAIN POLARITY, WHIRLING IN OPPOSITE DIRECTIONS. ANTERIOR AND POSTERIOR.

FIG.3 GIVES THE KEY TO DETERMINE THE FLOW OF THE WAVES OF THE ELECTRO MAGNETIC ENERGY WITH THE PATIENT FACE DOWN OR UP. INSERT AN IMAGINARY CRANK IN ANY JOINT AS SHOWN HERE AND GIVE IT A RIGHT HAND CLOCKWISE TURN AND THE CIRCUIT IS CLEARLY DEMONSTRATED. THE OPERATOR STANDS ON THE SIDE TESTED.

THESE WAVES CHANGE POLARITY AT THE ANKLE WHERE THE CURRENT GOES FORWARD ON THE FOOT. THE CROSSING OVER OF THE CURRENT POLARITY AT THIS POINT ANTERIORLY, MAKES THE ANKLE A FLEXIBLE JOINT, IN THE ENERGY FIELD ALL JOINTS ARE NEUTER POINTS.




Fig. 3

CHART NO. 6

ELECTRO-MAGNETIC CURRENTS AND THEIR PROPER ANATOMICAL RELATIONS ANTERIOR AND POSTERIOR VIEW OF OVERALL SWEEP PLUS POLARITY CENTERS.




Fig. 1

SHOWS THE PALMS OF THE HANDS RELATING TO THE ANTERIOR SENSORY PART OF THE BODY. IT GIVES THE CORRECT POSITION OF THUMBS IN RELATION TO CENTRAL AREA OF ENTIRE BODY. EACH HALF OF THE BODY IS DIVIDED INTO 5 LONGITUDINAL AREAS BY 5 ENERGY CURRENTS SWEEPING THROUGH FROM THE TOP OF THE HEAD AND FINGERS TO TIPS OF THE TOES. OPPOSITE IN DIRECTION OF FLOW AND IN POLARITY ON EACH SIDE AND ON ANTERIOR AND POSTERIOR PART OF BODY.

THE SOLES OF THE FEET WHEN BENT UPWARD FALL IN LINE WITH THE ANTERIOR CURRENTS AND THE TOP OF THE FEET WITH THE POSTERIOR CURRENTS THE SAME AS THE HANDS.


Fig. 2

THE POLARITY OF THE CURRENT CHANGES AT THE WRISTS MAKING AN ALMOST UNIVERSAL JOINT MOVEMENT POSSIBLE. THE CURRENT ALSO REVERSES ITS POLARITY AT THE ANKLES WHERE IT CHANGES DIRECTION IN FRONT AND AT THE HEELS IN THE BACK.

THE ELECTRO-MAGNETIC CURRENTS FOLLOW THE BODY OUTLINE AND EXTEND NO MORE THAN ONE-HALF INCH BEYOND THE SKIN, FORMING AN ELECTRO-MAGNETIC ENVELOPING PROTECTION AROUND THE BODY.

CHART NO. 7

ELECTRO-MAGNETIC WAVES OF THE BODY AND THEIR POLARITY ALSO CURRENTS FROM EACH LOBE OF THE BRAIN.



THE CADUCEUS AS THE DUAL WIRELESS BRAIN ENERGY WAVES OPERATING IN THE BODY IN THE ETHERIC MATTER AS TWO POLARIZED CURRENTS AROUND A NEUTRAL CORE OF SUPRA SONIC ENERGY, GIVING A VIBRATORY IMPULSE TO EVERY CELL IN CONJUNCTION WITH THE COSMIC ENERGY CURRENT LATENT IN THE OXYGEN.

MIND ENERGY WAVES DO NOT NEED WIRES FOR CONDUCTION OF ITS ALTERNATING IMPULSES. MIND SUBSTANCE ITSELF IS A PERFECT CONTINUOUS MEDIA PLUS ETHER. CONCENTRATION OF MIND ENERGY IS THE DIRECTING POWER OF ITS SUBSTANCE. IT ACTS BY PREPONDERANCE OF IMPULSE, IMPACT OR MENTAL WEIGHT.




Fig. 2





Fig. 3



HORIZONTAL WAVES OF ELECTRO-MAGNETIC ENERGY FLOW.

Fig. 4





LEFT FOOT LEADS IN MARCHING. THE ANTERIOR UPWARD SWEEP LIFTS THE FOOT. EVERY JOINT IS A NEUTER POINT. CURRENTS CROSS OVER AT THE ANKLE JOINTS AND AT THE WRISTS CHANGING POLARITY.

Fig. 1

THESE STRAIGHT LINES ARE AN EXTENSION OF THE BRAIN WAVES SEEN AS TENSIONS WITH GRAVITY PULL IN ACTION ON MUSCLES OF THE BACK.

LATERAL DIRECTION OF ENERGY IMPULSES INFLUENCE THESE WAVES. THEY CORRESPOND TO THE EAST AND WEST CURRENTS OF THE COSMOS.

CHART NO. 8. ELECTRO-MAGNETIC WAVES OVER THE HEAD AREAS AND THEIR POLARITY.



ELECTRO-MAGNETIC WAVES FLOWING IN THE BRAIN AREA AS ENERGY CURRENTS IN THE POSITIVE POLE, THEN THROUGH THE BODY STRUCTURES AS MUSCULAR TONE AND PATTERNS OF MOTION IN THE WIRELESS FIELD.

ELECTRO-MAGNETIC CIRCUIT EXPANDED - LONG LEG SIDE

ELECTRO-MAGNETIC CIRCUIT CONTRACTED - SHORT LEG

OVERALL BODY CIRCUITS FROM HEAD TO FOOT ON EACH SIDE GOVERN MUSCLE TONE.

CHART NO. 9

WIRELESS ENERGY THERAPY CHART OF THE FIVE POINTED STAR

THE GEOMETRIC LINES OF FORCE OF THIS STAR ARE IMPORTANT CONTACT POINTS FOR THE RELEASE OF ENERGY BLOCKS

FIG. 1 REPRESENTS THE ANTERIOR SENSORY ANGLES OF FORCE, AND THEIR INTERRELATIONSHIP. THE TOP OF THE STAR AT THE THROAT CENTER IS THE SOURCE OF THE CURRENT IN THE ETHERIC FIELD AND THE AUDIBLE SOUND ENERGY. IN THE PELVIC BASIN AT THE BOTTOM IS THE SUM TOTAL FORCE ACCUMULATION OF ALL THE SENSORY TENSION AND EMOTIONAL FRUSTRATION. THE TWO LOWEST POINTS OF THE STAR REST ON THE PELVIC BASIN AS A WHOLE. HERE THE INDIVIDUAL VITAL FORCE, THE ELECTRO-MAGNETIC CURRENTS AND THE GRAVITY PULL OF THE EARTH, ALL INTERACT. NATURE HAS PLACED THE CENTERS AND OUTLETS FOR THE VITAL AND EMOTIONAL ENERGIES IN THE PELVIS. THESE CAN ALSO BE RELEASED THROUGH INHIBITION OVER THE ATTACHMENTS OF THE ABDOMINAL MUSCLES TO THE PUBIC BONE. THE PSOAS MAGNUS AND ILIACUS MUSCLES ARE ALSO VERY IMPORTANT FACTORS IN THE GRAVITY PULL - ELECTRO-MAGNETIC ACTION - UPRIGHT POSITION OF THE BODY - AND ANTERIOR POSTERIOR RELATIONSHIP OF EACH HALF OF THE BODY. THE POLARITY CURRENTS AND THE SHORT LEG ALSO HAVE A MAJOR FACTOR HERE IN FRONT. DEEP INHIBITION REACHES THEM.

PERINEAL TECHNIQUE IS VERY EFFECTIVE IN PREGNANCY WHERE PELVIC STRESS AND STRAIN CAUSES MUCH LEG PAIN.




RELEASE TO THE THROAT CENTER, THE SHOULDERS, ALSO THE OCCIPITAL AND CERVICAL REGION CAN BE ACCOMPLISHED HERE BY INHIBITION AND DIRECTIONAL IMPULSE AT THIS BASIC LINE OF FORCE AS THE ANTERIOR FOUNDATION FOR ALL SUPERIOR STRUCTURES.

FUNCTIONAL REFLEX TO THROAT AND SHOULDERS


Fig. 1

THE PELVIC FLOOR HAS A DEFINITE EFFECT ON ANTERIOR PELVIC TENSION

FIG. 2 GIVES A CLEAR CUT PICTURE OF THE RELATION OF THE 2 HIP JOINTS AS THE FOUNDATION TO THE OCCIPUT, THE FORAMEN MAGNUM, AND THE POSITION OF THE HEAD INFLUENCED BY GRAVITY PULL. SHOULDER JOINTS AND HIP JOINTS IN THEIR RELATION OF DIAGONAL MUSCULAR STRESS AND LINES OF BRACING FORCE AND CROSS FORCE OF TENSION RELATIONSHIP.



LIGHT CONTACTS FOR PARASYMPATHETIC THERAPY



FORAMEN MAGNUM

Fig. 2

SACRAL ARTICULATION RELATIONSHIP

GRAVITY BALANCE TO FORAMEN MAGNUM

CONTACT POINTS AT THE INTERSECTION OF LINES OF FORCE AND ON THE FOUNDATION




Fig. 3

SEE CHART 10




Fig. 4

NORMAL COLON IN RELATION TO ENERGY LINES




Fig. 5

DISTORTED COLON DUE TO ELECTRO-MAGNETIC PULL

CHART NO. 10

THE FIVE POINTED STAR IN THE HUMAN BODY AS NATURE'S GEOMETRIC KEYBOARD OF LINES OF FORCE AND THEIR REFLEXES.

ANTERIOR TENSION IS MOSTLY FUNCTIONAL AND SENSORY REFLEX ACTION FROM THE VISCERA, PLUS EMOTIONAL DISTURBANCE FROM PELVIC ORGANS. POSTERIOR TENSION IS USUALLY CAUSED BY RESISTANCE OR BLOCKS IN THE MOTOR IMPULSES WHICH ARE CONTROLLED BY SENSORY IMPULSES.


SOFT TISSUE WORK IS DONE WITH DEFINITE DIRECTIONS OF LINES OF FORCE CARRIED THROUGH THE BLOCKADE BY A STEADY PRESSURE OR STIMULI FROM ANY POLE. THE IMPACT OF THE DIRECTED FORCE ACTS UPON THE MOLECULES AND ATOMS IN THE WIRELESS CIRCUIT. IT DOES NOT HAVE TO BE AN ADJUSTMENT.

ALL TENSION SEEMS TO ACCUMULATE IN THE NECK BECAUSE IT IS THE MAIN ETHERIC NEUTER FIELD AND THE SUM TOTAL OF THE RETURN FLOW OF ALL ENERGY FROM BELOW UPWARD TOWARD THE HEAD. TENSION CAUSES ARE MOSTLY REFLEXES WHICH MUST BE FOUND AND RELEASED. LIGHT PRESSURE SOOTHES AND RELAXES. HEAVY PRESSURE STIMULATES AND RELEASES STRONGER RESISTANCE IN THE CURRENT.

THAT WHICH IS ABOVE IS REFLECTED IN THE AREA BELOW, AND THAT WHICH IS BELOW HAS A REPRESENTATION ABOVE IN ITS GOVERNMENT.

SUPERIOR POSITIVE POLE OF THE DIAPHRAGM AND RESPIRATORY REFLEXES

DIAPHRAGM AND RESPIRATORY REFLEXES



SHOULDER
NEURITIS
SIGMOID REFLEX
GALL BLADDER REFLEX
LEFT KIDNEY REFLEX
LIVER REFLEX
SIGMOID REFLEX
OVARIAN REFLEXES OVER THE BREASTS
NEUTER POLE OF RESPIRATION

SHOULDER
CAECAL SPASM
CAUSING CORONARY HEART REFLEXES
STOMACH REFLEX
KIDNEY REFLEX
AMPULLA OF VATER REFLEX
CAECUM
OVARIAN REFLEXES OVER THE BREASTS
NEUTER POLE OF RESPIRATION

ARROWS ON LINES OR ALONG SIDES OF THEM INDICATE THE DIRECTIONAL FORCE IN THE CONTACT. THIS IS ACCOMPLISHED BY THE LINE UP OF THE FINGERS, THE FOREARM AND THE HUMERUS IN THE EXACT ANGLE OF THE IMPACT OF ENERGY AND HELD LONG ENOUGH TO CREATE A MOLECULAR PUSH IN THE CURRENT FLOW.

THIS ARROW FOR DIRECTIONAL CONTACT IS POINTING DOWNWARD OVER THE SIGMOID WHICH IS INVARIABLELY HIGH IN ITS POSITION.

SIGMOID VALVE AS A HEART REFLEX. TREAT TOWARD INFERIOR AND POSTERIOR POSITION AGAINST THE CURRENT TO RELEASE HEART SPASMS.

ALL LINES WHICH CROSS OVER FROM ONE SIDE TO THE OTHER BELONG TO THE BIPOLAR BRAIN REFLEX CHAIN OF THE CADUCEUS.

RESPIRATION IS THE FIRST ACT OF LIFE. THE DIAPHRAGM HAS A DEFINITE SUPERIOR POSITIVE POLE - A NEUTER POLE AND AN INFERIOR OR NEGATIVE POLE WHERE IT CAN BE INFLUENCED.

SORENESS AND TENSION OVER ANY ORGAN IS A PROTECTIVE MEASURE OF THE DEEPER TISSUES AND AN EXTENSION OF THE SORENESS AND STAGNATION TO THE SURFACE AREA. RELEASE ENERGY BLOCKS BY DIRECTIONAL CONTACTS IN THE LINE OF FORCE.

ENERGY IMPULSES FLOW DOWNWARD. THE RETURN CURRENTS ARE THE REFLEX IMPULSES FLOWING UPWARD. THESE MAY CROSS OVER AT NEUTER POINTS AND CENTERS OR FLOW STRAIGHT AS ELECTRO-MAGNETIC LINES OF FORCE AND AS GRAVITY IMPULSES. CURRENT RESISTANCE ANYWHERE BECOMES REFLEX PAIN.

ALL THE AREAS AND ORGANS WHICH THE LINES OF FORCE PASS OVER IN THEIR ASCENDING FLOW, HAVE THEIR REPRESENTATIVE REFLEXES ABOVE THE DIAPHRAGM IN EXACTLY THE SAME ORDER AS THEY WERE PASSED. SO THE OVARIES AND PELVIC ORGANS HAVE THEIR REFLEX IN THE BREASTS ON THE OPPOSITE POLARITY SIDE. OTHER ORGANS FOLLOW IN LINE AND CAN BE TRACED. BY THE SAME TOKEN THE DIAPHRAGM HAS A DEFINITE REFLEX BELOW POUPART'S LIGAMENT ON THE MUSCLES OF THE THIGHS ON EACH SIDE. THIS IS A VALUABLE REFLEX TO RELEASE IN SPASMS OF THE DIAPHRAGM.

CHART NO. II

ENERGY THERAPY CHART OF THE LINES OF FORCE OF THE INTERLACED TRIANGLE

EACH OVAL AREA IS POLARIZED INTO SUPERIOR + MIDDLE 0 AND LOWER - POLE. THE NEGATIVE GATHERS THE FORCE AND BECOMES POSITIVE TO ALL CENTERS BELOW IT

THE BASE OF THE UPPER TRIANGLE OF INNER ENERGY IS THE LIFE FORCE WITH ITS POSTERIOR + SUPERIOR POLE IN THE MEDULLA OBLONGATA. IT REFLECTS VITAL ENERGY TENSION AND GRAVITY BY THE POSITION OF THE HEAD

THE BASE OF THIS LOWER TRIANGLE IS THE VITAL FORCE. IT IS A MIXTURE OF COSMIC WATER AND EARTH ENERGY WHICH REACTS TO GRAVITY BY THE POSITION OF THE SACRUM

WHEN THIS SLEEPING FORCE IS LIFTED UP TO THE BRAIN BY INTENSE CONCENTRATION AND DEVOTION THE SERPENT POWER ASCENDS UPWARD ON THE TREE OF LIFE WHENCE IT CAME. THIS ENERGY THEN AWAKENS THE LATENT SLEEPING FORCE IN THE PINEAL GLAND (THE PINE CONE CENTER) AND UNFOLDS THE PATTERN OF COSMIC CONSCIOUSNESS.

THE TRIANGLE WITHIN THE SACRUM IS THE SEAT OF STORED UP VITAL PATTERN ENERGY AS THE NEGATIVE POLE OF THE BRAIN FLOWING THROUGH THE CENTRAL CORE. IT IS A TRIUNE ENERGY HIGHLY POLARIZED BY INTENSE ATTRACTION WITHIN ITSELF AND EXTERNALLY.

GOD GEOMETRIZES

ONE BASE ABOVE AS THE POSITIVE POLE




Fig. 1

ONE BASE BELOW AS THE NEGATIVE POLE AND ENERGY RESERVE IN THE SACRUM

RELATIONSHIP OF ENERGY LINES AND GRAVITY STRESS IN THE PELVIS. THROUGH THIS FLUID WITHIN THE SACRUM THE INDIVIDUAL VITAL FORCE RELATES TO EARTHINESS AND JOINS WITH GRAVITY BY ITS ATTRACTION TO EARTH




Fig. 3

AN ANCIENT PICTURE OF THE KUNDALINI FORCE AS THE SLEEPING VITAL ENERGY IN THE SACRUM




Fig. 5

SPACE OF SPIRITUAL INFLUX PICTURED AS ATHENA IN THE HEAD OF ZEUS

PUBIC REFLEXES TO THE SINUSES

CREATION OF IDEAS ABOVE SEEING





Fig. 2

THE UPPER TRIANGLE CONVEYS THE FIERY ENERGY OF THE HEAD DOWNWARD AS WARMTH AND LIGHT FOR DIRECTION OF MOTION. IT ALSO CONVEYS THE LIFE ENERGY OF BREATH AND AIR MIXED IN THE CARBURETOR OF THE HEART AND DISTRIBUTED THROUGH THE CIRCULATION OF THE BLOOD TO EVERY CELL IN THE BODY KEEPING THEM ALIVE. THIS ENERGY IMPULSE IS THE PUSH BEHIND THE CIRCULATION.

CREATION OF FORMS BELOW

DURA MATER

Fig. 4



THIS ENERGY BECOMES THE BOW OF THE ARCHER SAGITARIUS THROUGH THE EXPRESSION OF FORCE IN THE THIGHS DIRECTED UPWARD OR DOWNWARD



THE SACRUM

SEAT OF COILED UP ENERGY

NOTE ENLARGED SPACE IN THE DURA MATER TO HOLD CEREBRO SPINAL FLUIDS

This center is the lower irrational pole opposite to the brain where directive intelligence resides. Here below is a relentless drive of force downward and outward like a mainspring coiled up and tense.

CHART NO.12 TREES OF LIFE IN MAN. DIVINE AND PHYSICAL. EMPHASIS OF PAST AND PRESENT VIEWPOINTS.



ANTERIOR AND POSTERIOR VIEW OF THE DIVINE TREE OF LIFE IN MAN AS SEEN BY JACOB BOHME IN THE 16TH CENTURY. ITS ROOTS ARE IN THE HEART CENTER OF FEELING, LOVE AND DEVOTION, GROWING UPWARDS INTO THE DIVINE WORLD OF IDEAS, IT BRINGS FORTH THE FRUITS OF KNOWLEDGE AND ILLUMINATION.

TREES ARE ENERGY FORMS GROWING IN GARDENS — OVALS AND SPHERES OF COMPOSITE ENERGY FIELDS OUT OF THEIR VERY GROUND OR CENTERS AND BRING FORTH FRUIT THRU EXPERIENCE. THE TREE OF LIFE IS PORTRAYED HERE IN THE VERY CENTER OF THE GARDEN THE TEMPLE OR BODY OF MAN IN THE ETHERIC VIBRATORY SPHERE OF EDEN ABOVE THE FIRMAMENT OR DIAPHRAGM. TREES, IN SCRIPTURES HAVE A DEEPER MEANING, LIKE THE CHRISTMAS TREE FOR THE PINE CENTER IN THE BRAIN, THE PINEAL GLAND FUNCTION OF ILLUMINATION. THE SEPHIROTH TREE OF LIFE OF THE KABALAH, THE SECRET DOCTRINE OF ISRAEL, HAS A SIMILAR DESIGN AS FIG. 3 OF THE NERVOUS SYSTEM. ALL EMANATIONS IN CREATION ARE CENTRIFUGAL AND DESCEND FROM KETHER, THE CROWN OF CREATION, THE BRAIN, AS THE POSITIVE POLE, CHOCMA, THE CENTER OF WISDOM, OF CREATIVE SPEECH, EQUALS THE MIDDLE SPHERE OF FIG 1. BINAH, UNDERSTANDING, THE HEART CENTER OF COMPREHENSION THRU FEELING REPRESENTS THE LOWER SPHERE OF THE TRIAD AS THE NEGATIVE POLE. BOHME'S TREE OF LIFE REPRESENTS THE CENTRIPETAL ENERGY OF CONTEMPLATION AND ILLUMINATION.




Fig. 3

MAN'S NERVOUS SYSTEM EMANATING FROM THE BRAIN AS ITS ROOT AND SOURCE LIKE THE KABALISTIC TREE OF LIFE. PHYSICAL TREES OF LIFE IN THE BODY OF MAN ARE PATHWAYS OF THE ENERGY CURRENTS FOR THE EXPRESSION OF THE 5 MOTOR AND THE 5 SENSORY SENSES LIKE THE 10 SEPHIROTHIC CENTERS OF THE SEPHIROTHIC TREE OF LIFE. THE CIRCULATION CIRCUITS OF THE BODY FLUIDS OF BLOOD AND LYMPH REPRESENT ANOTHER TREE OF LIFE WITH ITS FRUIT. THE MUSCULAR STRUCTURE REVEALS ANOTHER TREE WITH BRANCHES THAT LOOK LIKE A COMPLETE MAN. THE EXTERNAL AND INTERNAL SKIN REVEALS A SIMILAR DESIGN. THE BONY SKELETON IS ALSO A FORM OF A TREE IN MAN.

THESE 5 TYPES OF TREES ARE THE 5 MODES OF ENERGY SPINNING AS SPHERES OR FIELDS AND OUT OF THEIR CENTERS — CURRENTS ARISE AS A NEW PATTERN OF COMPOSITE ENERGY WHICH HAS THIS SYMBOLIC FORM OF LIFE, AS A NATURAL GROWTH. ALL CELLS ARE ELECTRO-MAGNETIC CONDUCTORS AND OSCILLATE. THEY RESPOND TO ALL 5 MODES OF ENERGY FLOWING THRU THEM CONSTANTLY; CALLED PRANA IN THE EAST.




Fig. 5

THE GREAT PYRAMID OF GIZEH IS A SYMBOL OF THE TEMPLE OF MAN IN WHICH HIS SOUL LIVES AND RIPENS THRU EXPERIENCE TO ASCEND THRU APPARENT SOLID MATTER TO DIVINE REGIONS OF ITS OWN. THE PYRAMID RISES OUT OF MOTHER EARTH AS ONE SOLID STRUCTURE OF STONE 486 FEET HIGH COVERING 13 ACRES. THE BASE OF EACH OF THE FOUR TRIANGULAR SIDES IS 764 FEET LONG. THESE SYMBOLIZE THE FOUR POLARIZED PRIMARY ELEMENTARY FORCES OF MATTER LIKE THE FOUR RIVERS OF GENESIS FLOWING OUT OF ONE RIVER. SEE PAGES 8-9-10 AND ILLUSTRATIONS ON PAGES 30-31 IN "THE NEW ENERGY CONCEPT OF THE HEALING ART." THE BASE OF THE GREAT PYRAMID IS THE TERRA FIRMA OR THE FIRMAMENT OF THE DIAPHRAGM. IN THAT, IT AGREES WITH THE DIVINE TREE OF BOHME. THE PIT, OR THE GENERATIVE SPHERE IS BELOW THE EARTH SPHERE OF THE ABDOMEN IN THIS WORLD OF MOTHER EARTH AND NATURE WHICH SUPPORTS THE STRUCTURE ABOVE IT ON THIS EARTH. THE LIMESTONE COVER WHICH ONCE GLISTENED IN THE SUNLIGHT REPRESENTED THE SKIN.





FIG. 3 INERTED; PLANTED LIKE A TREE WITH ITS ROOT SYSTEM IN THE GROUND. MAN IS A HIGHER CREATION WITH HIS ROOTS IN HEAVEN AND HIS FEET ON THE EARTH.

CHART NO. 13.

A GEOMETRIC RELATIONSHIP OF LINES OF FORCE OF ENERGY CURRENTS, GRAVITY AND WEIGHT BEARING SURFACES OF THE BODY.

THE RELATIONSHIP OF THE HEAD TO THE PELVIS IS A VITAL ONE OF A POSITIVE TO A NEGATIVE POLE. THE DOTTED LINES ARE THE POLARIZED DUAL BRAIN CURRENTS OF THE CADUCEUS, CROSSING OVER IN EVERY CENTER AND PRODUCING ACTIONS AND REACTIONS. THESE LINES OF STRESS CAN BE SEEN IN THE MUSCULATURE OF THE BACK IN IRREGULAR CROSS-OVER PATTERNS OF TENSIONS. THE CAUSES MAY BE IN THE PELVIS OR FOUND ANTERIORLY AS FUNCTIONAL REFLEXES CROSSING OVER TO THE SUPERIOR AND POSTERIOR. BOTH CAN BE TRACED AND RELEASED.

THE RELATIONSHIP OF THE SYMPHYSIS PUBIS AND THE SACROILIAC ARTICULATION IS CLEARLY SHOWN AS WELL AS ITS INTERRELATED SUPERIOR REFLEXES. THE CROSSING OVER OF THE BRACING LINES OF FORCE FROM THE WEIGHT BEARING SACRAL ARTICULATION IS ABOUT THE FIFTH DORSAL VERTEBRA. THAT HAS A GREAT BEARING ON MIDDLE BACK PAIN AND INDIGESTION. IT ALSO SHOWS IN REVERSE HOW INDIGESTION CAN CAUSE LUMBAGO AND SACROILIAC TROUBLE, AND FURTHER IT PUTS DIGESTIVE TROUBLE RIGHT IN THE MIDDLE AS A CAUSE OR AN EFFECT OF MANY PAINS IN THE BACK OF THE HEAD, OCCIPITAL PAINS, FRONTAL HEADACHES, ATLAS ARTICULATION TROUBLE, ETC



THE TWO ARTICULATING SURFACES OF THE SACRUM AND ILIUM HAVE A DIRECT BEARING AND RELATIONSHIP ON THE CONDYLES OF THE OCCIPUT AND THE ATLAS. THE SUPERIOR RESTS ON THE INFERIOR BY GRAVITY PULL. IT IS ALSO UNDER STRESS OF REACTIONS FROM ITS OWN POLARITY AND REFLEX CURRENTS OF THE ELECTRO-MAGNETIC FIELDS IN THE BODY EVEN WHEN RESTING. EACH OF THE FIVE OVAL AND FUNCTIONING CAVITIES AND CENTERS CAN PRODUCE DEFINITE BLOCKS AND REFLEXES. MENTAL DISTRIBUTING WAVES CAN PRODUCE BLOCKS ANYWHERE ESPECIALLY IN THE VITAL CENTRAL AXIS. THESE ALSO CAN BE TRACED AND RELEASED AS MENTAL EMOTIONAL BLOCKS, IN A SURPRISING MANNER. THE PERINEAL, COCCYGEAL AND PUBIC THERAPY ARE POWERFUL FACTORS AS WELL AS REFLEXES FOUND IN THE FEET, THE MOST NEGATIVE POLE. VOMITING RELEASES THE STOMACH AND THE FIFTH DORSAL ALSO THE DIAPHRAGM AND THE HEAD REFLEXES.

THE REFLEX LINES FROM THE CAVITY OF THE ILIUM AND ITS BRIM AND ALONG THE UPPER PART OF THE POUPART'S LIGAMENTS, ARE MOSTLY FUNCTIONAL, DIGESTIVE REFLEXES FROM THE SIGMOID, CAECUM, OR CONGESTION OF THE AMPULLA OF VATER. THESE CROSS OVER AT THE FIFTH CERVICAL VERTEBRA. THAT IS LITERALLY CATCHING IT IN THE NECK. STIFF NECKS AND TORTICOLLIS HAVE THEIR FOUNDATION HERE. FINDING IT IN THE NEGATIVE POLE AS A CAUSATIVE BLOCK WILL RELEASE THE SEVERE PAIN DUE TO SPASMS FROM REFLEXES BELOW. ONLY WHEN THESE BLOCKS ARE REMOVED WILL THE SPASM SUBSIDE AND INHIBITIVE THERAPY AND DRAINING THE FIBRES OF CENTRAL CONGESTION BE ATTEMPTED. REMOVING CAUSES AND BALANCING OF THE ENERGY CURRENTS BY POLARIZING THE ABOVE WITH THE BELOW, IS THE INDICATED THERAPY. ALSO LOOK TO THE STOMACH REFLEX AND DIETETIC ERRORS.

NORMAL MUSCULAR FIBRES
 WHERE THE ELECTRO-MAGNETIC CURRENTS FLOW FREELY




Fig. 1




Fig. 2



Fig. 4

A Muscle Cell from the walls of the intestine

PHYSIOLOGY, 1909 by Profs. Conn and Budington




Fig. 5

CONNECTIVE TISSUE. A bit of tendon highly magnified. At C are shown some of the cells which produced the fibers.




Fig. 3

Please note the similarity of the over-all direction of the polarization of the muscle fibres and the electro-magnetic circuits.

CHART NO.15 COMPARATIVE CHARTS OF ANATOMY



Fig. 1

ABNORMAL





Fig. 2

NORMAL



Fig. 3



ABNORMAL
MUSCULAR
FIBRES

DUE TO
ELECTRO-
MAGNETIC
BLOCKS
IN THE
MUSCULAR
STRUCTURE

SYMPTOMS

- A Neuritis
- B Pulmonary Affections
- C Rheumatism
- D Asthma
- E Tuberculosis
- F Lumbago
- G Kidney Complaints
- H Hæmorrhoids
- I Fistula
- I Sciatica
- J Phlebitis
- K Ulceration
- I Cramp
- M Muscular Atrophy
- N Arthritis
- N Pleurisy

CHART NO.16. COMPARATIVE CHARTS OF ANATOMY






Fig. 1



ABNORMAL Fig. 2




NORMAL

Fig. 3

SYMPTOMS

- A Mental Disorders
- B Catarrh
- C Neuralgia
- D Eye Diseases
- E Headache
- F Deafness
- G Head Noises
- H Caries
- I Neuralgia of Jaw
- J Facial Neuralgia
- J Sinusitis



SYMPTOMS

- A Neuritis
- B Bronchitis
- C Heart Affections
- D Gastric Complaints
- E Affections of Lungs
- F Affections of Liver
- G Affections of Kidneys
- H Appendicitis
- I Constipation
- J Affections of Genitals
- Lymphatic Ganglia
- K Sciatica
- Phlebitis
- L Bladder Affections
- M Eczema
- N Cramp
- Ulceration
- O Muscular Atrophy
- P Rheumatism
- Q Chilblains
- R Beger Malady
- S Cancer

THUMBS AS NEUTER REFLEXES EMBRACING THE ENTIRE AREAS BELOW THE DIAPHRAGM ON EACH SIDE OF THE BODY, COMPARED TO REFLEXES AROUND THE OUTSIDE OF THE ANKLES AS THE NEGATIVE POLE.



Fig. 1




Fig. 2




Fig. 3




Fig. 4

CHART NO.18. MEASURING THE LEGS FOR COMPARATIVE LENGTH TO DETERMINE THE SIDE OF THE MOST CONTRACTED ELECTRO MAGNETIC CIRCUIT WHICH IS ONE DEFINITE MEASURE OF IMBALANCE, DISTINCT FROM GRAVITY.




Fig. 1




Fig. 2

IN ILLNESS, THE BODY IS OUT OF BALANCE; THERE IS MORE TENSION AND OBSTRUCTION ON ONE SIDE AND THIS IS THE INHERENT WEAK SIDE FROM BIRTH, THAT SHOWS UP IN EVERY ILLNESS.




Fig. 3

ANOTHER CONTACT FOR MEASURING THE LEGS IS SHOWN HERE WITH THE HANDS UNDER THE HEELS AND ANKLES - BENDING THE HEELS OUT TO STRAIGHTEN THEM - THEN BRING THEM TOGETHER AND LOOK FOR COMPARISON AT THE HEELS FOR THE LENGTH OF LEGS. THE SHORT LEG IS THE FACTOR.




Fig. 4

KEEPING THE ELECTRO MAGNETIC FIELDS IN BALANCE WOULD BE A FINE HEALTH MEASURE. BALANCE OF ENERGY CURRENTS MUST BE RESTORED IN EVERY SICKNESS BEFORE HEALTH CAN BE REALIZED.

WHEN THE SHORT LEG HAS BECOME LONG AND STAYS LONG, IT INDICATES THAT THE TENSE MAGNETIC FIELD ON THAT SIDE HAS RESPONDED AND NORMAL REPAIR CURRENTS ARE AT WORK. THE PATIENT'S IMPROVEMENT WILL VERIFY IT.




Fig. 5

EVEN LEGS INDICATE IMPROVEMENT AND ARE CONSIDERED NORMAL.




Fig. 6




Fig. 7


SHOWING THE LEFT LEG SHORT.

A SIMILAR CONTACT IS TAKEN WITH THE PATIENT FACE DOWN. EVERT THE FEET, SO THERE IS A STRAIGHT LINE DOWN THE CENTER OF EACH LEG TO THE HEEL AND COMPARE THEM. MEASUREMENT DIFFERS SLIGHTLY IN THIS POSITION FROM THE FRONT MEASUREMENT.

CHART NO. 19. A TECHNIQUE TO RELEASE MOTOR ENERGY BLOCKS IMMEDIATELY ABOVE THE PUBIS FOR BLADDER-URINARY-RECTAL-UTERINE AND PROSTATIC TROUBLE, COCCYX CORRECTION FOR PILES AND COCCYGDYNIA.

TENSION AND SORENESS FOUND IN THE RECTUS ABDOMINALIS AND THE PYRAMIDALIS MUSCLES USUALLY MEANS THAT THE STRUCTURES UNDERNEATH ARE IN TROUBLE. LOOK FOR BLADDER, RECTAL, PROSTATIC OR UTERINE DISTURBANCE. HOWEVER, THE RELEASE OF THIS TENSION ABOVE THE PUBIS GIVES REMARKABLE RESULTS. THE THUMB IS PLACED OVER THE SPASTIC MUSCLE, FLAT AND LEVEL, LIKE A ROCKER RUNNER, TO COVER THE AREA. THEN WITH THE OTHER HAND UNDER THE NECK AND THE OCCIPUT, THE BODY IS RAISED GENTLY FOR A GOOD STRETCH. HOLD IT A MOMENT,

WITH THE THUMB CLOSE TO THE SYMPHYSIS PUBIS GIVING THE CONTACT AN INFERIOR AS WELL AS A POSTERIOR DIRECTION ACTS AS A POWERFUL CORRECTION FOR THE SUPERIOR PUBIS AND SHORTENS THE LEG ON THAT SIDE. MUSCLE TENSION CAN BE RELEASED ON BOTH SIDES BUT THE INFERIOR ANGLE SHOULD ONLY BE USED ON THE SHORT LEG SIDE.




DIRECTIONAL CONTACTS ON THE CONTRACTED MUSCLES NEXT TO THE PUBIS, CAN BE HELD WITHOUT A NECK STRETCH WITH GOOD RESULTS. THE LIFT IS FOR COORDINATED CORRECTION AND THE RELEASE OF HEAVY SPASTIC MUSCLES. ONE LIFT ON THE SHORT LEG SIDE IS USUALLY SUFFICIENT AT ONE TREATMENT.

Fig. 1

CONTRACTION OF TISSUES ON EITHER SIDE OF THE COCCYX IS USUALLY OVERLOOKED IN MOST EXAMINATIONS BECAUSE THESE LUMPS CANNOT BE FELT UNLESS THE TISSUE IS ENGAGED BETWEEN THE INTERNAL AND EXTERNAL EXAMINING FINGERS. SPASTIC TISSUE AT THIS VITAL SPOT INTERFERES WITH THE ACTION OF THE GANGLION OF IMPAR AND ITS POSITIVE POLE IN THE BRAIN BY REFLEX ACTION. IT IS A VITAL FACTOR IN COCCYGDYNIA AND HEMORRHOIDS. FOR LEG PAINS RELEASE THE CENTRAL ENERGY BLOCKS HERE.

Fig. 3



LUMP MAY BE FOUND ON EITHER SIDE.

ANTERIOR SURFACE OF THE COCCYX

THIS CONTRACTED TISSUE IS THE REAL MOTOR ENERGY BLOCK. ONE FINGER IS INSERTED INTO THE RECTUM TO EXAMINE THE ANTERIOR ARTICULATIONS OF THE COCCYX AND BOTH SIDES FOR CONGESTED LUMPY TISSUE. THE FIRST FINGER OF THE OTHER HAND SLIDES ALONG ON THE OUTSIDE OF THE COCCYX AND TISSUES DIRECTLY OPPOSITE



Fig. 4

THE INTERNAL FINGER. IT IS BETWEEN THESE TWO FINGERS EXAMINING WITH MODERATE PRESSURE THAT MANY CONDITIONS ARE FOUND WHICH ONE FINGER ALONE WOULD MISS. FOR RELIEF, THE STAGNANT CONTRACTED TISSUES MUST BE ENGAGED BETWEEN BOTH FINGERS AND THE ENERGY BLOCKADE RELEASED BY PRESSURE MANIPULATION.



Fig. 2

A CORRECTION OF THE ANTERIOR SACRAL BASE. HERE THE FLAT THUMB IS PLACED ABOVE POUPART'S LIGAMENT, ABOUT ITS MIDDLE REGION, FOR DIRECTIONAL PRESSURE POSTERIORLY ON THE ANTERIOR BASE OF THE SACRUM. THE HEAD LIFT IS USED AS ABOVE. THIS IS APPLIED TO THE OPPOSITE SIDE OF THE SHORT LEG FOR THE RELEASE OF THE ANTERIOR SACRAL BASE. IT LENGTHENS THE SHORT LEG.

A STOMACH RELEASE AND ABDOMINAL CONTACTS FOR THE STIMULATION OF THE LACTEALS AND STAGNANT ENERGIES.




FIG. 1 SHOWS THE PATIENT ON THE BACK AND THE HAND OF THE OPERATOR MAKES MILD DIRECTIONAL CONTACT UNDER THE PYLORUS WITH THE HEAD LIFT TO RELEASE STAGNATION BY EMPTYING THE STOMACH.

Fig. 1

FIG. 2 SHOWS A FREE HAND CONTACT OVER TENDER AREAS ON THE ABDOMEN WITH A PARTIAL TWIST AND A FIRM GRIP ON THE TISSUES WITH THE DIRECTION UPWARD TOWARD THE OPPOSITE SHOULDER. THE HAND OPENS AND CLOSES REPEATEDLY FOR A GENTLE STIMULATION TO THE MUSCLES AND FATTY TISSUES.




Fig. 2



Fig. 3

FIG. 3 GIVES A DOUBLE HAND CONTACT WITH A FIRM TWIST OF THE LOOSE FATTY TISSUE FOR STIMULATING THE LACTEALS AND PRODUCING BETTER DRAINAGE. IT IS A DIGESTIVE AND BOWEL STIMULATION BY DIRECTIONAL ENERGY AGAINST THE ELECTRO MAGNETIC FLOW.

CHART NO. 21.

SACRAL RELEASE BY A SUPPORT UNDERNEATH AND DIRECTIONAL FORCE APPLIED POSTERIORLY AND Laterally.

THE ANTERIOR SACRAL BASE IS USUALLY THE SORE SIDE AND IS TENDER TO THE TOUCH, REGARDLESS OF WHICH IS THE SHORT LEG. MANY TIMES PRESSURE ON THE SAME INNOMINATE TOWARD THE FLOOR RELEASES THE ARTICULATE TENSION AND PAIN IN THIS NEUTER JOINT.

THERE IS A DEFINITE RELATIONSHIP BETWEEN THE ANTERIOR SACRAL BASE AND THE LATERAL ATLAS ON THAT SIDE. THESE JOINTS NEED CAREFUL CHECKING AS THEY ARE THE TWO POLES OF THE HOUSING OF THE VITAL FORCES. A POSTERIOR DORSAL CURVE ALSO HAS ITS RELATIONSHIP AND EFFECT ON THE SACRO ILIAC ARTICULATION RELEASE.




Fig. 1

THIS IS THE BASIS FOR MOST PELVIC TENSION RELEASE. NO BONY ADJUSTMENT IS AIMED AT HERE. ONLY THE RELEASE OF SPASTIC TISSUE BY DIRECTIONAL FORCE CORRECTLY EMPLOYED TO BALANCE THE SACRAL BASE AND THE VITAL FORCE RELATIONSHIP WITH THE REST OF THE BODY'S ENERGY FIELDS.

WHEN THERE IS POSTERITY IN THE LUMBAR CURVE - NO CUSHION IS NEEDED FOR THIS THERAPY.

A POSITION FACE DOWN WITH A FIRM CUSHION SUPPORT ABOVE THE PUBIS, TO RAISE AND SUPPORT THE SACRAL BASE.

THE POSTERIOR SACRAL BASE IS USUALLY ON THE SHORT LEG SIDE. TEST FOR IT. THE SHORT LEG WILL GET LONGER IF YOUR FINDING AND APPLICATION IS CORRECT.




Fig. 3




Fig. 2

THIS CUSHION IS FIRM AND PLIABLE, HANDMADE OF SPECIAL RUBBER, WITH A PLASTIC COVER. THE TAPER AND THE FIRM EDGE HAVE THEIR ADVANTAGE FOR THERAPEUTIC USE. IT GETS CLOSER TO THE POINT OF SUPPORT THAN A ROUND ONE.

A CONTACT OVER THE POSTERIOR BASE OF THE SACRUM WITH THE ELBOW AND A THUMB CONTACT UNDER THE ANTERIOR BASE ON THE OPPOSITE SIDE ON THE TENSE THIGH MUSCLES WITH A LIFTING DIRECTIONAL FORCE TOWARD THE OPPOSITE SHOULDER. A MODERATELY FIRM PRESSURE IS MAINTAINED ON BOTH CONTACTS UNTIL RELAXATION TAKES PLACE. IT CAN BE REPEATED. IT RELEASES SACRAL TWISTS CAUSED BY MOTOR BLOCKS IN THE SPASTIC TISSUES. IT HAS A VERY GOOD RELAXING EFFECT UPON THE ENTIRE BODY.

THE RELATIONSHIP OF THE SACRAL CENTER AS THE NEGATIVE POLE TO THE MEDULLA, THE POSITIVE POLE IS CLEARLY ILLUSTRATED IN CHART NO. 11.

CHART NO.22. OLD MOVES WITH NEW IMPETUS AND DIRECTIONAL FORCE APPLIED TO ENERGY BLOCKS TO RELEASE THEM.

BLOCKS IN THE WIRELESS CIRCUITS OF ENERGY FIELDS ARE PRIOR TO MUSCLE SPASMS.

POSITIVE PRANA CURRENTS OF MOTOR ENERGY PASS THRU THE HEAVY MUSCLES OF THE BACK. THESE DEEP AND SUPERFICIAL MUSCLES AND CONNECTIVE TISSUES CAN BE RELEASED OF ENERGY BLOCKS AND WASTE DEPOSITS, BY COUNTER IMPULSES OF STEADY DIRECTIONAL FORCE APPLIED AT RIGHT ANGLES TO THE TENSION LOCK.

THE CONTACT WITH THE ELBOW MUST BE STARTED GENTLY AND INCREASED TO THE TOLERANCE OF THE PATIENT. REPEAT IF NECESSARY, RATHER THAN HOLD TOO LONG. SENSE THE RELAXATION TAKING PLACE. SHORT APPLICATIONS RELEASE TENSION, LONG ONES EXHAUST THE TISSUES.




Fig. 1

ALL THE CONTACTS GIVEN HERE ARE FOR THE PURPOSE OF RELEASING ENERGY BLOCKS IN THE DEEPER AND ANTERIOR PARTS OF THE PELVIS OR SPINE IMMEDIATELY UNDER THE CONTACT.




Fig. 4



Fig. 2

CONTACTS MUST BE HELD LONG ENOUGH TO MAKE A CHANGE IN THE MOLECULAR ENERGY CIRCUITS AND EFFECT THE RELEASE OF SPASTIC MUSCLES ATTACHED TO VERTEBRAE.

THE ELBOW CONTACT CAN BE ON EITHER SIDE OF THE SPINOUS PROCESSES IN THE GROOVE, BUT NEVER ON THEM.

FOR HIGH BLOOD PRESSURE THIS IS A GOOD THERAPY TO RELEASE THE MOTOR ENERGY BLOCKS OF THE VASO MOTOR TENSION AREAS ON THE BACK.




Fig. 5

THIS TYPE OF STEADY AND SLOW DIRECT PRESSURE UPON ANY ARTICULATION THAT IS FIXED AND CHRONIC GIVES THE CONNECTIVE TISSUE AND THE INVOLUTARY MUSCLES TIME TO LET GO.

ALL DIRECTIONS OF CONTACTS ARE AT RIGHT ANGLES TO THE CURVE TREATED.




Fig. 3

IT IS ALSO USEFUL IN LUMBAGO SPASMS WHERE THE LEAST MOVEMENT CAUSES A SPASTIC CONTRACTION OF MUSCLES

THE THUMB CONTACT IS ON THE TENDER FIBRES OF THE GLUTEUS MUSCLES ON THE SHORT LEG SIDE FOR TENSION RELEASE. THE DIRECTIONAL FORCE IS FROM POSTERIOR TO THE ANTERIOR OF THE BODY.




Fig. 6

ALL HEAVY PRESSURE AND FORCEFUL TECHNIQUE IS DISPERSING IN ITS EFFECT. IT IS OF THE TAMAS QUALITY OF ENERGY, AS A POTENTIAL COMPELLING FORCE SCATTERING ACCUMULATIONS AND FORCING ELECTRONS AND MOLECULES TO SEEK OTHER FIELDS OF ATTRACTION.

RELAXED HAND CONTACTS - SINGLE AND DOUBLE - WITH THE CURRENT FLOW OF THE ELECTRO-MAGNETIC LONGITUDINAL AND CIRCULAR WAVES.




Fig. 1




Fig. 2

THE CONTACT HAND TAKES A QUARTER TURN ON THE SKIN TO PICK UP THE LOOSE TISSUES TO ABOUT A 45 DEGREE ANGLE REINFORCING ONE HAND WITH THE OTHER IN AN UPWARD MOVEMENT TOWARD THE SPINE, WITH THE RELAXED BODY WEIGHT BEHIND IT. IN THIS INSTANCE THE DIRECTION IS WITH THE CURRENT FLOW OF THE ELECTRO MAGNETIC WAVES FOR THE PURPOSE OF OVER-COMING ENERGY BLOCKS WHICH CAUSE INFLAMMATION AND PAIN BY RESISTANCE TO THE ENERGY WAVES. THE OBJECT IS TO RESTORE AND BALANCE THE ENERGY CIRCUITS

THIS A POSITIVE RAJA TYPE THERAPY OF A VIBRATORY GENTLE ROCKING MOTION WITH THE GREATEST ELASTICITY OF IMPULSES BEHIND IT. THIS SUPERIMPOSED FORCE IS RELEASED IN DEFINITE LINES AND DIRECTIONS TO INFLUENCE THE CURRENTS OF THE ELECTRO MAGNETIC WAVES OF THE BODY. THE DIRECTION CAN BE FROM ANY ANGLE WHICH ACCOMPLISHES RELEASE OF ENERGY BLOCKS.




Fig. 3




Fig. 4

IN THE PRESENCE OF PAIN OR INFLAMMATION THE DIRECTION OF THE LINES OF FORCE ARE USUALLY WITH THE CURRENTS.

THE ANGLE AND THE DIRECTION IS DETERMINED BY THE HIGHEST AREA ON THE BACK AS THE PATIENT LIES STRAIGHT FACE DOWN ON THE TABLE WITH THE HEAD IN A SPLIT CUSHION. RAISED AREAS INDICATE TISSUE TENSION OF VARIOUS DEPTHS ALONG EACH SIDE OF THE SPINE. THESE CURRENTS MUST BE BALANCED AND TENSION BLOCKS REMOVED. THE CIRCULAR WIRELESS HORIZONTAL CURRENTS WHICH GO AROUND THE BODY ARE ALSO A FACTOR HERE AS WELL AS THE LONGITUDINAL NORTH AND SOUTH CIRCUITS FROM HEAD TO FEET. SEE CHART NO. 7.

CHART NO. 24

CONTACTS WITH BOTH HANDS ON RIGHT SIDE OF THE BODY AGAINST THE CURRENT FLOW OF THE ELECTRO MAGNETIC FORCES, TO COUNTERACT THE EXCESSIVE IMPULSES OVER THE MUSCLE FIBRES WHICH KEEP THEM UNDER CONSTANT TENSION OR SPASM.




Fig. 1

THIS TYPE OF THERAPY IS ACCOMPLISHED BY THE APPLICATION OF A CONCENTRATED FORCE APPLIED BY THE OPERATOR WITH DEFINITE DIRECTION AND SPEED TO INFLUENCE THE CURRENTS OF ENERGY IN THE PATIENT'S BODY WHICH CONTROL TISSUE FUNCTION. THIS ACTIVE FORCE IS OF THE PRINCIPLE OF THE RAJA GUNA TYPE OF ENERGY. IT IS A FORCE, PLUS PHYSICAL MOTION WITH VOLUME AND POLARITY DIRECTION. THE APPLICATION GIVEN HERE IS AGAINST THE ELECTRO MAGNETIC CURRENT FLOW.



Fig. 2

THE OPERATOR STANDS ON THE TOES OF ONE OR BOTH FEET TO GET THE SPRING OF THE WHOLE BODY BEHIND THE IMPULSE AS AN ELASTIC WAVE WITHOUT THE USE OF CONSCIOUS FORCE OR PUSH. IT IS A RHYTHMIC ROCKING MOTION WHICH DELIVERS THE IMPULSE OF AN ELASTIC VOLUME BEHIND IT THAT ROCKS THE BODY OF THE PATIENT BUT DOES NOT PUNCH IT.



Fig. 3

LOCAL APPLICATION OF A POSITIVE FORCE CONTACT WITH EACH THUMB ON THE LONGITUDINAL MUSCLES OF THE BACK OVER AREAS OF CURRENT BLOCK, EACH IN OPPOSITE DIRECTION TO THE CURRENT FLOW FOR THE RELEASE OF SPASTIC MUSCLES.

A LETTER S CONTACT ON CONTRACTED MUSCLE FIBRES OF THE BACK CAN ALSO BE USED WITH BOTH THUMBS IN OPPOSITE DIRECTIONS ON THE SAME FIBRES

TO DRAIN THE STAGNANT MATERIAL OUT OF THE NEUCLEAR CENTERS AND REPOLARIZE THEM. THIS CAN BE DONE BY DIRECTIONAL PRESSURE OR VIBRATORY FORCE.




CHART NO.25.

CONTACTS ABOVE POUPART'S LIGAMENT TO CARRY IMPULSES ACROSS TO THE OPPOSITE SHOULDER. ILLUSTRATED THERAPY FOR CHARTS 9 AND 10.

THE HAND ILLUSTRATES THE FINGER TIPS MADE EVEN FOR THE CONTACT SO IT HURTS LESS AND GETS AN EVEN PRESSURE ON THE DEEPER MUSCLES.





Fig. 1

A DEEP CONTACT IN THE ILIAC FOSSA JUST ABOVE POUPART'S LIGAMENT. AFTER RELAXING THE SUPERFICIAL ABDOMINAL MUSCLES THE OBJECTIVE IS THE RELEASE OF THE PSOAS MAGNUS AND ILIACUS MUSCLE AND PELVIC BLOCKS. THE DIRECTION OF THE ARMS IS TOWARD THE OPPOSITE SHOULDER WHICH THE OPERATOR FACES. IT AFFECTS ALL THE ORGANS ABOVE IT IN THAT LINE, ESPECIALLY THE STOMACH.

SYMPHYSIS PUBES



POUPART'S LIGAMENT BELOW HAND

Fig. 2

A FIST AND KNUCKLE CONTACT IN THE SAME AREA FOR THE RELEASE OF THE SUPERFICIAL MUSCLES. IT IS GENERAL AND LESS PENETRATING BUT VERY EFFECTIVE IF PROPERLY DONE. A GENTLE CONTACT FIRST, THEN STEADY AND SPECIFIC DIRECTIONAL PRESSURE UPWARD UNTIL THE TISSUES UNDER THE CONTACT RELAX AND REFLEX THAT RELEASE ALONG THE LINE OF FORCE TOWARD THE OPPOSITE SHOULDER.




Fig. 3

DIAPHRAGM REFLEX SEE CHART 4
 NEUTER REFLEX TO BUTTOCK
 ILIO CAECAL VALVE REFLEX TO HEART ON RIGHT HAND
 NEUTER HIP JOINT REFLEX




Fig. 4

SIGMOID VALVE REFLEX TO HEART ON LEFT HAND

THE SAME PURPOSE CONTACT MADE WITH THE THUMBS OF BOTH HANDS. THE RIGHT THUMB IS MAKING A SPECIFIC CONTACT ON THE RECTUS ABDOMINALES MUSCLE JUST ABOVE THE PUBIS. THE THUMBS MAKE A SOFTER CONTACT THAN THE FINGER TIPS AND GET A GOOD HOLD ON SURFACE MUSCLES. DIRECTION IS POSTERIOR AND DIAGONALLY SUPERIOR LIKE THE OTHER TWO CONTACTS SHOWN HERE. WHEN THESE AREAS DO NOT RESPOND - FIND THE PERINEAL REFLEX WHICH CONTROLS SPASMS OF INTRA PELVIC MUSCLES AND LEG REFLEXES

A CLEAR PICTURE OF THE ANTERIOR PELVIS AND POUPART'S LIGAMENT TO CLARIFY THE AREA OF CONTACTS ABOVE IT AND ALONG ITS COURSE FROM THE ANTERIOR SUPERIOR SPINE OF THE ILIUM TO THE SYMPHYSIS PUBIS. ANTERIORLY THIS IS THE NEGATIVE POLE TO THE NEUTER DIAPHRAGM AND THE SUPERIOR SHOULDER GIRDLE OF THE TRUNK. THESE GROIN AREAS HAVE A POWERFUL REFLEX AS BASIC AREAS TO THE SUPERIOR DIAGONALLY VIA THE POLARIZED BRAIN CURRENTS OF THE CADUCEUS IN A STRAIGHT LINE THRU THE ELECTRO-MAGNETIC FORCES BLENDING IN WITH GRAVITY.

CHART NO.26. VERY IMPORTANT DIRECTIONAL CONTACTS ON THE SYMPHYSIS PUBIS FOR BLADDER TROUBLE AND INFLAMMATION, FOR MENSTRUAL AND LEG CRAMPS AND PAINS, FOR SINUS CONGESTION.




Fig. 1

THE DIRECTION OF THE LINES OF FORCE APPLIED IN A CONTACT CAN BE SUPERIOR INFERIOR OR ON AN ANGLE. THE CORRECTNESS IS PROVED BY THE RELEASE OF TENSION AND SORENESS, AS WELL AS THE LENGTHENING OF THE SHORT LEG.

THE SYMPHYSIS PUBIS IS THE NEGATIVE CENTRAL POLE IN LINE OF RELATIONSHIP AND REFLEX TO THE ROOT OF THE NOSE ABOVE AND THE SINUSES. SEE CHART NO.11,- FIG.2. IN HEAD CONGESTIONS, SINUS TROUBLE, COLDS, ETC. THIS IS A VALUABLE THERAPY. FOR EXERCISE TO AID IN HOME TREATMENT SEE CHART.NO.52.




Fig. 2

THE CONTACT IS ON THE TISSUE NEXT TO THE BONE.

EACH INNOMINATE BONE FORMS A TRIANGLE OF ITS OWN WITH POSITIVE, NEGATIVE AND NEUTER POLES ANTERIOR AND POSTERIOR. THESE CORRESPOND TO THE POSITIVE TRIANGLE OF THE JAW. SEE CHART NO.27.

A SPECIFIC DIRECTIONAL CONTACT FOR THE SHORT LEG IS INFERIOR AND POSTERIOR ON THE TENSE MUSCLES NEAREST THE PUBIS ON THAT SIDE, FOLLOWING THE CONTACT UNDER THE EDGE OF THE BONE UNTIL THE TENSION RELAXES.




Fig. 3

ANGLES OF CONTACTS AND LINES OF FORCE ON THE CONTRACTED MUSCLES.




Fig. 4

LIGHT APPLICATION OF DIRECTIONAL FORCE TO ONE SIDE OF THE PUBIC BONE HAS A POWERFUL LEVERAGE ACTION THROUGH THE INNOMINATE ON THE SACRO ILIAC ARTICULATION. BY THE INTERACTION OF THREE FORCES BLENDING IN THE SACRAL BONE AT THIS ARTICULATION IT HAS A DIRECT POLARITY REACTION TO THE FORAMEN MAGNUM AND THE MEDULLA OBLONGATA. SEE CHART NO.11 - FIG.2.

THE CONTACT IS ON THE MUSCULAR ATTACHMENT TO THE BONE.

THE THUMB CONTACT IS ON THE CONTRACTED MUSCLE TISSUE NEXT TO THE BONE. IT HURTS LESS TO GO UNDER THE BONE THAN ON IT.




Fig. 5

A VERY GENTLE ROCKING ACTION CAN BE USED IN THE DIRECTIONAL FORCE APPLICATION. IT MAKES THE CONTACTS MORE EFFECTIVE AND EASIER TO TOLERATE BY THE PATIENT.

CHART NO.27. THE JAW IS THE POSITIVE POLE OF THE PUBIC BONE AND THE ISCHIUM

TONSILITIS CAN BE DETECTED AS SORENESS UNDER THE JAW WITH A DEEP CONTACT AT NO.4. RELEASE THE CORRESPONDING AREA AT THE NEGATIVE POLE AT THE ISCHIUM. TENDERNESS FOUND HIGHER UP UNDER THE CONDYLES OF THE MANDIBLES SHOULD BE CHECKED AT THE ILIAC FOSSA FOR ITS CAUSATIVE REFLEX.

THE MANDIBULAR JOINT AND THE HIP JOINT HAVE A RELATIONSHIP OF POSITIVE TO NEGATIVE. THE FOUR AREAS OUTLINED HERE ROUGHLY RELATE TO THE FOUR AREAS OF THE PERINEUM. STRUCTURAL AND FUNCTIONAL REFLEXES ARE PRESENT. IT IS POSSIBLE TO EFFECT POWERFUL SPECIFIC REACTIONS HERE AT THE POSITIVE POLE WITH SPECIFIC CONTACTS ON TWO POINTS - ONE ABOVE AND ONE BELOW.




Fig. 1




Fig. 2

ALL JOINTS ARE NEUTER POINTS WHERE THE ENERGY CROSSES OVER, MAKING FLEXION POSSIBLE IN THE LINES OF FORCE. WHEN ENERGY FLOWS STRAIGHT IT IS AN EXTENSION OF FORCE. THROUGH NEUTER POINTS IT BECOMES MECHANICAL LEVERAGE BY CHANGE OF POLARITY.



Fig. 3

PATIENT ON HIS BACK SHOWING A CONTACT UNDER THE JAW ON BOTH SIDES AS A GENERAL STRETCH OF SOFT TISSUES.



ANTERIORLY, THE DIAPHRAGM AND IMMEDIATELY BELOW IT UNDER THE FLOATING RIBS, IS THE NEUTER AREA FOR CONTACTS.

NOTE THE RESEMBLANCE BETWEEN THE JAW, THE PUBIC BONE, THE ISCHIUM AND THE ILIUM.




Fig. 4

NEGATIVE POLE

THE THREE POLES OF THE DIAPHRAGM IN ITS RESPIRATORY MECHANISM AND CONTACT AREAS TO INFLUENCE IT ANTERIORLY AND POSTERIORLY.

POSITIVE POLE OF DIAPHRAGM AND RESPIRATORY REFLEXES AND ITS ANTERIOR TRIANGLES



MANY CHRONIC PAINS UNDER THE SHOULDER BLADE ARE A DIRECT REFLEX FROM THE LOWER ABDOMINAL REGION AND CAN BE RELEASED THERE. THIS REFLEX CAN BE FROM THE ILEOCAECAL VALVE, THE GALL BLADDER OR THE AMPULLA OF VATER, THE SIGMOID, ETC., THE CURRENT USUALLY CROSSES OVER TO THE OPPOSITE SHOULDER AND REGISTERS AS A PAIN UNDER IT.

INFERIOR POLE OF THE DIAPHRAGM

SHOWING THE BODY CAVITY DIVIDED BY THE DIAPHRAGM INTO THORAX AND ABDOMEN




Fig. 3

FIG. 1 SHOWS THE ANTERIOR VIEW OF THE THREE POLES OF THE DIAPHRAGM. THE LOWER OR NEGATIVE POLE IS DIVIDED INTO TWO LATERAL (DOTTED) TRIANGLES AND A NEUTER ONE IN THE MIDDLE. THE SUBPOSITIVE POLE IS MARKED ON EACH SIDE ALONG THE HEAVY THIGH MUSCLES THE ENTIRE NEGATIVE POLE IS AN EXTENSION ANTERIORLY OF THE PERINEAL LINE OVER THE THIGHS AS THE NEGATIVE RESPIRATORY POLE IN RUNNING. CONTACTS ON THE NEGATIVE OR THE NEUTER POLE WITH ONE HAND AND ON THE POSITIVE POLE ABOVE WITH THE OTHER HAS A VERY SOOTHING EFFECT ON THE PATIENT. FIND THE TENDER SPOT ON THE NEGATIVE, NEUTER OR LOWER POSITIVE POLE FIRST THEN PLACE A MODERATELY FIRM CONTACT ON THE MUSCLES IN THE DIRECTION UPWARD TO THE SUPERIOR CONTACT OVER THE SHOULDER MUSCLES, ON THE SAME SIDE OR DIAGONALLY. HOLD FOR A MOMENT UNTIL THE TENSION RELAXES. THUS RELEASE THE SORE SPOTS FROM THE NEGATIVE, NEUTER OR POSITIVE POLES BELOW. THE CONTACT ON THE SHOULDER IS A FIRM GRIP ON THE MUSCLES,

POSITIVE POLE OF DIAPHRAGM AND RESPIRATORY REFLEXES AND ITS POSTERIOR TRIANGLES




Fig. 2

CONTACTS MAY BE MADE ANYWHERE ALONG THESE DIAGONAL LINES WHEREVER THE ENERGY BLOCK IS FOUND. THE SHORT LEG SIDE USUALLY PRESENTS SORENESS OVER THE MASTOID BONE, WITH DEFINITE SORENESS AND CONGESTION OVER THE GLUTEI MUSCLES ON THAT SIDE. A PRESSURE CONTACT WITH THE THUMB OVER THE SORE MUSCLES, FROM THE POSTERIOR

TO THE ANTERIOR, RELEASES THEM AND LENGTHENS THE LEG. THEN A HIP CORRECTION CAN BE MADE OVER THAT ARTICULATION EASILY. A NORTH POLE STRETCH WILL RELEASE THE SUPERIOR ENERGY BLOCK AROUND THE FORAMEN MAGNUM ON THAT SIDE.

FIG. 2 GIVES A POSTERIOR VIEW OF THREE POLES OF THE DIAPHRAGM AND ITS TRIANGLES ABOVE AND BELOW AS RESPIRATORY REFLEX CENTERS. PLEASE NOTE, THAT THE TWO LINES DRAWN FROM THE HEAD OF THE FEMURS TO THE MIDDLE OF THE SHOULDERS CROSS AT THE 10TH DORSAL VERTEBRAE WHICH IS THE CENTER FOR THE DIAPHRAGM. SEE THE CHART ON PAGE 50 IN THE NEW ENERGY CONCEPT OF THE HEALING ART, ANTERIOR AND POSTERIOR VIEW OF SKELETON AND ITS LINES OF FORCE FOR THERAPY. THE PATIENT LIES FACE DOWN. HERE A POSITIVE CONTACT ON THE TENDER SPOTS OF THE OUTSIDE OF THE THIGH IS USED WITH A FIRM GRIP ON EITHER OF THE SHOULDER MUSCLES - OR FROM A NEUTER CONTACT OF A TENDER SPOT OF EITHER BUTTOCK TO THE SHOULDER. THESE TWO CONTACTS ARE OF A NEGATIVE FIRM PRESSURE TYPE AND ARE HELD FOR A MOMENT UNTIL RELAXATION TAKES PLACE. THIS IS A DENSE MUSCULAR RELEASE WHERE THE CENTER OF THE MUSCLE NEEDS TO BE EMPTIED IN ORDER TO FUNCTION FREELY.

THE DIAPHRAGM IS THE MAIN RESPIRATORY MUSCLE DOING THE MOST IMPORTANT WORK IN LIFE. EVERY CELL NEEDS THE LIFE ENERGY CONTAINED IN THE BREATH; WITHOUT WHICH THEY CANNOT SURVIVE. ITS POLARITY FUNCTION AND MINUTE DISTRIBUTION OF FINE ENERGY WAVES IS A MOST IMPORTANT FACTOR TO REACH CELLULAR TISSUE. POLARITY CONTACTS ARE VERY SOOTHING TO THE PATIENT, HAVING A REPOLARIZING EFFECT. TENDER AND CONGESTED AREAS INDICATE ENERGY BLOCKS. THE DIAPHRAGM IS THE FUNCTIONING NEUTER POLE OF LIFE. ITS POWERFUL EFFECT AS A SHOCK TREATMENT BY VOMITING AND ITS CURATIVE EFFECT UPON INSANITY HAVE BEEN CLEARLY DEMONSTRATED BY DR. BERNARD ASCHNER OF NEW YORK CITY. TRULY THE DIAPHRAGM IS THE FIRMAMENT WHICH DIVIDES THE ENERGY (WATERS) ABOVE AND BELOW. IT IS THE BRIDGE WHERE MIND AND LIFE CROSS INTO THE EMOTIONAL VITAL FIELD. ITS RHYTHMIC MOTION TRULY SUPPORTS THE ENERGIES ABOVE, LIFTS AND ACTIVATES THE CONTENTS BELOW.

CHART NO.29. RESPIRATORY AND AUTONOMIC SENSORY REFLEX THERAPY FOR MENTAL-EMOTIONAL AND NERVOUS TENSION RELEASE.

THIS IS A GENTLE RELAXING TECHNIQUE BY THE USE OF THE PENETRATING PRANA ENERGY IN THE BREATH, WHICH MUST REACH EVERY CELL OF THE BODY. IT IS A SENSORY CONTACT APPLIED THROUGH THE POLES OF THE DIAPHRAGM, BY GENTLE POLARIZING CONTACTS AS IN PERINEAL THERAPY. THE APPLICATION OF THE INTRODUCED NEUTER FORCE IS OF THE PRINCIPLE OF BALANCE (SATTWA).

IT SHOULD BE USED FIRST TO RELAX THE MENTAL, EMOTIONAL NERVE CENTERS AND TO BALANCE THE ACTIVE SPINNING CHAKRAS IN THE WIRELESS FIELD. OTHER TREATMENT MAY FOLLOW.

DEEP RHYTHMIC BREATHING ASSISTS THE ENERGY TO TRAVEL WITH THE NEUTER LIFE CURRENT IN THE BODY.




Fig. 1

THE TWO THUMBS AND THE BIG TOES ARE NEUTER ENERGY CONVEYORS BECAUSE THEY ARE IN THE CENTER LINE. ONE THUMB OPPOSES AND SUPPORTS FOUR POLARIZED CURRENTS IN THE FOUR FINGERS, MAKING SKILL AND A FIRM GRIP POSSIBLE. IT IS A PRACTICAL ILLUSTRATION OF THE ONE RIVER OF ENERGY (THE ETHER) FLOWING OUT OF PARADISE AND SPLITTING INTO FOUR BRANCHES.

THESE 5 RIVERS ARE 5 MODES OF EXPRESSIONS OF THE SOUL THRU ENERGY CURRENTS. THEY BECOME THE 5 MOTOR AND THE 5 SENSORY CENTERS AND THEY FLOW AS 5 CURRENTS THRU THE 5 FINGERS AND TOES. THRU PERCEPTION AND MIND ACTION, THEY BECOME MOTION AND SKILL THRU THE SENSE OF TOUCH.

THE FINGERS MUST NOT TOUCH EACH OTHER WHILE GIVING THIS SENSORY-POLARITY TREATMENT. THE LIGHTEST TOUCH OR PROXIMITY COUNTS IN POLARIZING SENSORY CENTERS




Fig. 2

POSITIVE +
NEUTER O
NEGATIVE -

THE BUTTOCK LINES POSTERIORLY ARE EXTENSIONS OF THE PERINEAL LINE OF THE NEGATIVE POLE OF THE DIAPHRAGM. THEY REFLEX TO THE POSITIVE RESPIRATORY LINES ABOVE. SENSORY CURRENTS ARE INGOING CURRENTS. GENTLE CONTACTS ACCOMPLISH MUCH WITH A POSITIVE FINGER ON THE NEGATIVE POLE AND A NEGATIVE FINGER ON THE POSITIVE POLE MERELY DIRECTING ENERGY THRU POLARITY AND RESPIRATION. EVERY CELL IS ALIVE; TISSUES RESPOND TO THE RHYTHMIC FLOW OF PRANA ENERGY IN THE BREATH. THESE GENTLE IMPULSES GO DEEP AND RELEASE SENSORY MECHANISM BLOCKS BY POLARIZING AND BALANCING OF THE SUPERIOR AND THE INFERIOR OR THE WITHIN AND THE WITHOUT. IT IS LIKE PERINEAL TECHNIQUE, A THERAPY FOR BALANCING RESPIRATORY, EMOTIONAL AND SENSORY ENERGY CURRENTS.




Fig. 3

CHART NO.30. PERINEAL CONTACTS IN RELATION TO THE NECK, SHOULDER, ELBOW AND HIP.

DEEP AND CONCEALED ENERGY BLOCKS CAUSE CHRONIC DISEASES THRU SPASMS OF TISSUE AND STASIS. FOR THOSE CONDITIONS A STEADY AND FIRM CONTACT IS USED ON THE SPASTIC MUSCLES OF THE PERINEAL FLOOR. THE APPLIED LINE OF FORCE FOLLOWS THE BLOCKADE INTO THE PELVIS AND HOLDS IT TO TOLERATION UNTIL IT LETS GO.

USED IN ALL NERVOUS AND THYROID CASES, FOR SLEEPLESSNESS, NECK AND GENERAL TENSION, ESPECIALLY IN NEURASTHENIA AND RESPIRATORY SYMPTOMS.

A LEFT LATERAL ATLAS IS USUALLY AN EMOTIONAL BLOCK.

PERINEAL TREATMENT CORRECTLY DONE WILL UNLOCK ENERGY BLOCKS QUICKER THAN MOST OTHER METHODS BECAUSE IT DEALS WITH THE VITAL FORCE OF EMOTIONAL LOCKS AND FRUSTRATIONS. FOR THIS PURPOSE A LIGHT CONTACT IS USED TO RELAX GENTLY AND ALLOW FOR RELEASE OF SURFACE ENERGY BLOCKS BY SIGHING, CRYING, HEAVY BREATHING, ETC.

THE CONTACT IS LIGHT AT FIRST; THE DIRECTION IS HEADWARD AND TOWARD THE MEDIAN LINE.

THE FIRST FINGER IS USED TO FIND THE TENSED FIBRES. THE SECOND FINGER IS USED FOR TREATMENT.

FIG. 1 SHOWS A CONTACT ON PERINEAL NO. 1 UNDER THE SYMPHYSIS PUBIS AND SLIGHTLY TO THE POSTERIOR TOWARDS THE ISCHIUM. THE THUMB OF THE LEFT HAND IS ON AREA NO. 1 OVER THE ATLAS AND ABOVE IT ON THE OCCIPITAL AND TEMPORAL BONES BEHIND THE EAR WITH FIRST FINGER ON THE OPPOSITE SIDE OF THE NECK ON THE SAME AREA. CONTACT NO. 1 RELATES TO ALL NO. 1 AREAS ON THE CHART.

FIG. 2 SHOWS CONTACT 4 FURTHER BACK ON THE PERINEUM NEAR THE COCCYX IN AREA 4 AND ABOVE ON THE CERVICAL VERTEBRAE 6 AND 7 IN THE SPINAL GROOVE. BOTH CONTACTS ARE ON THE RIGHT SIDE HERE. HOWEVER, THE CURRENT FROM THE PERINEUM CROSSES OVER VIA THE CENTRAL CURRENT AND RELEASES TENSION ON THE OPPOSITE SIDE OF THE NECK.

CONTACT NO. 1 RELEASES THE ATLAS ON THE OPPOSITE SIDE.

TREATMENT SHOULD BE REPEATED SEVERAL TIMES UNTIL THE SPASTIC SORE SPOT VANISHES. CORRELATE IT WITH THE OTHER EXTERNAL AREAS GIVEN HERE.

ALL REFLEXES COME FROM BELOW. IMPULSES OF ENERGY COME FROM THE BRAIN. ALL ENERGY FLOWS IN CIRCUITS OR WAVES. ORGANIC FUNCTION DEMANDS ENERGY. IF BLOCKED ANYWHERE PAIN IS THE RESULT.







CHART NO.31. PERINEAL THERAPY IN CONNECTION WITH KNEES AND ANKLES.

FIG.1 TRACES NUMBERED REFLEX AREAS WHICH CORRESPOND WITH EACH OTHER. THE PERINEAL AREA AROUND THE ANUS REFLEXES FUNCTIONALLY TO THE EARTHY TRIAD OF THE ABDOMEN AND KNEES. CONTACTS HERE ARE USEFUL IN ALL DIGESTIVE DISTURBANCES. IN PREGNANCY AND ALL LEG TROUBLE THIS TECHNIQUE IS A REVELATION IN ITS FAR REACHING EFFECT.

DIGESTIVE REFLEXES
UMBILICUS
ABOVE ○ BELOW
4-3-2-1-2-3-4

THE AREA IMMEDIATELY AROUND THE OUTSIDE OF THE ANKLE IS AN AIRY AND GLANDULAR FUNCTIONAL REFLEX. ITS USE IS INDICATED IN GLANDULAR DISTURBANCE AND KIDNEY CONDITION. ANY PUFFINESS HERE IS A KIDNEY SYMPTOM. THE HEELS ARE PELVIC, GENERATIVE, AND EMOTIONAL REFLEXES. IN PREGNANCY, GREAT RELIEF CAN BE OBTAINED BY RELEASING THE SPASM OF THE INTER-PELVIC MUSCLES WHICH OFTEN AFFECT THE LEGS SEVERELY. IN ADDITION VENOUS STASIS IS RELEASED BY THIS RELAXATION, NERVOUS TENSION BALANCED, AND CIRCULATION IMPROVED BECAUSE OF THE ENERGY BLOCK RELEASE.



THE DOCTOR CAN ALSO STAND IN FRONT OF THE PATIENT FOR A DEEPER CONTACT ON AREA 1 AND 2 SPECIFICALLY FOR PROSTATIC, UTERINE AND DIGESTIVE REFLEXES; ALSO TO RELEASE THE ATLAS AND AXIS ON THE OPPOSITE SIDE OF THE BODY. THESE ARE CENTRAL REGIONS AND NEED STEADY AND DEEP PRESSURE IMPULSES OVER SPASTIC PELVIC MUSCLES NEAR THE PUBIC BONE.

PATIENT IS ON SIDE WITH KNEES FLEXED HIGH. THE DOCTOR REACHES OVER THE LOWER LEGS TO MAKE THE CONTACT ON THE PERINEUM. THE ANGLE OF THE DIRECTION OF FORCE APPLIED HERE IS VERY IMPORTANT FOR SPECIFIC RESULTS.

THE FIRST FINGER IS USED TO LOCATE THE TENSE FIBRES IN THE PERINEUM, BECAUSE IT IS NEGATIVE AND MORE SENSITIVE. FOR PERINEAL THERAPY APPLICATION THE SECOND FINGER IS USED, BECAUSE IT IS POSITIVE STRONGER AND LONGER TO MAKE A BETTER CONTACT.

IN MAKING A TISSUE CONTACT ON THE PERINEUM FOR TREATMENT, A HALF TURN OF THE FINGER TO THE RIGHT TAKES UP THE LOOSE TISSUE AND GIVES THE BEST RESULT IN A LIGHT CONTACT WHICH RELAXES THE BODY.

FIG.3 SHOWS THE COMBINATION OF PERINEAL AND HEEL CONTACTS FOR EMOTIONAL TENSION, AND FOR LEG TROUBLE, ESPECIALLY IN PREGNANCY.




FIG.2 SHOWS A NO.1 PERINEAL CONTACT, SUPERIOR AND MEDIAL IN DIRECTION; LIGHT AT FIRST, THEN HEAVIER. WHEN THE TENSE AND TENDER AREAS LET GO, THE CONTACT IS SLOWLY RELEASED. ANY TWO NUMBERED AREAS MAY BE TREATED AGAINST EACH OTHER TO RELEASE SORENESS CAUSED BY ENERGY BLOCK. POSTERIORLY, THE ACHILI TENDONS ARE REFLEXES TO THE LOWER LUMBAR REGION. THE OS CALCIS BONES ARE REFLEXES FOR THE SACRUM AND COCCYX. IN LUMBAGO AND LOWER BACK PAIN, IT IS VERY IMPORTANT TO RELEASE THE NEGATIVE ENERGY BLOCK HERE. THESE EXTERNAL AREAS ARE MANIPULATED OR HELD BY HEAVY PRESSURE, IF IT CAN BE TOLERATED, DEEP DIRECTIONAL PRESSURE HELD STEADY ACTS LIKE THE ACCUMULATED WATER THAT BREAKS THE DAM MORE COMPLETELY THAN A LIGHTNING STROKE OR AN ADJUSTMENT.

CHART NO.32. CONTACTS FOR THE RELEASE OF ENERGY BLOCKS IN DIGESTIVE AREAS OF POLARITY. FIG.3 ILLUSTRATES RELEASE OF MOTOR TENSION AREAS.

FIG. NO.1 SHOWS A DIRECTIONAL CONTACT BELOW THE STOMACH AND UNDER THE FLOATING RIBS. THE OTHER HAND HOLDS A PRESSURE OR MANIPULATIVE CONTACT ON THE OPPOSITE KNEE FOR DIGESTIVE REFLEXES AND PAINS.

Fig. 1





FIG.2 GIVES THE SAME KNEE CONTACT AND THE ONE IMMEDIATELY ABOVE POUPART'S LIGAMENT WITH A DIRECTIONAL FORCE AND A LIGHT ROCKING IMPULSE TOWARD THE OPPOSITE SHOULDER FOR STOMACH AND DIGESTIVE DISTURBANCES.

Fig. 2



ALL CURRENTS WHICH CROSS OVER FROM ONE SIDE OF THE BODY TO THE OTHER IN CURVES OR DIAGONAL LINES ARE OF THE BIPOLAR BRAIN ENERGY AND THE CADUCEUS.

FIGS.1 AND 2 COULD BE SHOWN ON THE OPPOSITE SIDE OF THE BODY WHERE THEY WOULD BE LIVER AND GALL BLADDER REFLEXES AND BLOCKS. MANY CHRONIC PAINS IN THE LEFT KNEE WHICH ARE OFTEN MISTAKEN FOR A BONE DISEASE ARE GALL BLADDER REFLEXES AND WILL CLEAR UP FAST WHEN THE CORRECTION IS MADE.

THE VERTICAL ELECTRO MAGNETIC CURRENTS AND GRAVITY FORCE STAY ON THE SAME SIDE.

Fig. 3




FIG.3 ILLUSTRATES ENERGY BLOCK RELEASE BY MANIPULATION OF TENDONS AND MUSCLES AT THEIR ORIGIN, WHICH IS THE POSITIVE POLE ABOVE AT THE NEUTER OR MIDDLE POLE, AND AT THE INSERTION OR THE NEGATIVE POLE BELOW. THIS IS USEFUL IN MOTOR DISTURBANCES OF THE MUSCLE TISSUES AND TENDONS SUCH AS PARALYSIS AND SPASMS.


CHART NO.33

RELATIONSHIP OF THE JOINTS AS NEUTER POINTS AND THEIR POLARITY FROM SUPERIOR TO INFERIOR.

THERE ARE 5 MAJOR JOINTS ON EACH SIDE OF THE BODY WHICH HAVE A DEFINITE RELATION TO EACH OTHER. THE MANDIBULAR JOINT, THE SHOULDER, THE HIP, THE KNEE, THE ANKLE, ALL JOINTS ARE FLEXION POINTS AND NEUTER IN RELATION TO THE WHOLE, CORRELATE THE TROUBLED JOINT WITH ITS SUPERIOR OR INFERIOR POLARITY; ANKLES TO SHOULDERS, HIPS TO THE MANDIBULAR JOINTS AND THE WRISTS. UTERINE AND PELVIC REFLEXES ARE OFTEN FOUND HERE. KNEES REFLEX TO THE UMBILICUS AND TO THE ELBOWS ON THE SAME SIDE.

IN THE LOWER TRIAD, THE HIPS ARE POSITIVE, THE KNEES ARE NEUTER AND THE ANKLES ARE THE NEGATIVE REFLEX JOINTS.

ARMS AND LEGS HAVE SIMILAR REFLEXES, BOTH BEING EXTENSION LEVERS, RELEASE ALL LOWER JOINT REFLEXES. HOLD THE SOREST SPOT AND MANIPULATE AROUND THE OTHER JOINT TISSUES.



REACTIONS ARE FROM BELOW UPWARD, LIKE THE GLOW OF VITAL FORCE, THE SATISFACTION OF A HOT MEAL. THE INFERIOR SUPPORTS THE SUPERIOR AND REACTS VIA THE RETURN ENERGY FLOW AND BY GRAVITY PULL.

THE SUPERIOR JOINT OR AREA BECOMES POSITIVE IN RELATION TO ANY INFERIOR ONE, NO MATTER WHAT ITS GENERAL OVER-ALL POLARITY MIGHT BE IN RELATION TO THE WHOLE, BECAUSE PRIMAL ENERGY FLOWS FROM THE BRAIN ABOVE AS THE ROOT OF THE TREE OF LIFE, AND OF THE NERVOUS SYSTEM DOWNWARD TO WATER THE GARDEN OF LIFE, THE HUMAN BODY.

Fig. 1




Fig. 2

Fig. 3

TREAT BY MANIPULATION, PRESSURE ON MUSCLES, OR BY HOT AND COLD APPLICATIONS OF A FORCEFUL STREAM OF WATER ON THAT SPOT

THESE AREAS CAN BE EASILY LOCATED, TRACED TO THEIR SOURCE AND TO THEIR POLARITY, AS ONE RELAXES THE OTHERS WILL ALSO LET GO AND BE RELIEVED.

CHART NO.34

PELVIC AND HIP ADJUSTMENTS FOR EVERY TENDER AREA IN THE GLUTEI REGION.

DRAW A STRAIGHT LINE FROM THE TENDER SPOT FOUND TO THE HEAD OF THE FEMUR. THAT GIVES THE LINE OF FORCE FOR THE POSITION OF THE LEG AND THE FEMUR FOR THE ADJUSTMENT. THESE ADJUSTMENTS ARE NOT MERE HIP CORRECTIONS BUT ARE A RELEASE FOR SPASTIC TISSUE AND BONY RELATIONSHIP CAUSED BY IT.




Fig. 1

FIND THE MOST TENDER SPOT IN THE DOTTED REGION OVER THE GLUTEI MUSCLES.





Fig. 2

LEG POSITION FOR EACH CONTACT AND CORRECTION

HEAD OF THE FEMUR



LINE OF FORCE IN GIVING THE ADJUSTMENT

Fig. 3

THREE POSITIONS OF THE HAND ON THE HIP AND THE LEG IN RELATION THERETO FOR A CORRECTION.

THE LOWER LUMBAR AND INTERPELVIC STRUCTURES AND SPASMS ARE RELEASED BY THIS SIMPLE ADJUSTMENT. FIRST HOWEVER ALL ANTERIOR AND PERINEAL ENERGY BLOCKS OF THE PELVIS SHOULD BE REMOVED.




Fig. 4

BOTH HANDS ON THE BODY FOR AN ADJUSTMENT. ACCORDING TO THE LINES OF FORCE, IT IS FIRST A STRETCH, THEN A VERY MILD NATURAL CORRECTION WITH A VERY SHORT RANGE OF ADJUSTMENT, 1/2 INCH OR LESS.

CHART NO.35. GENTLE ROCKING MOTION AND STRETCH FOR THE PELVIS TO RELIEVE SPASMS AND BLOCKS IN THE MUSCLES OF THE HIP JOINT.




FIG.1 SHOWS THE OPERATOR STANDING BEHIND THE PATIENT WITH ONE HAND FITTED LIGHTLY TO THE SHOULDER TO DRAW IT BACKWARDS. THE OTHER HAND IS ON THE THIGH. THE THUMB DIGS INTO THE TENSE MUSCLE FIBRES ABOVE THE HIP JOINT, ANYWHERE UP TO THE CREST OF THE ILIUM WHEREVER THEY ARE FOUND. THESE HAVE A DEFINITE RELATION TO THE LATERAL RESPIRATORY AND INTERCOSTAL MUSCLES.

A GENTLE ROCKING MOTION AIDS IN RELAXATION. MANY CORRECTIONS OF TISSUES CAN TAKE PLACE EASILY. THIS MOVE MAY BE USED ON HEAVY PATIENTS, WHERE HIP CORRECTION IS TOO STRENUOUS FOR THE OPERATOR.





FIG.2 SHOWS A STRETCH AND A GENTLE ROCKING CONTACT IN THE OPPOSITE DIRECTION WHEN IT IS INDICATED BY SHOULDER AND HIP TENSION. HERE THE OPERATOR STANDS IN FRONT OF THE PATIENT. NO FORCE IS USED; IT IS A RELAXATION BY SHORT RHYTHMIC MOTION. THE CONTACTS VARY WITH THE TENSION AND THE ENERGY BLOCKS FOUND IN THAT AREA. FIXED AND RESISTANT MUSCLE FIBRES YIELD TO RESILIENT IMPULSES, WHEN THE NEGATIVE POLE OF THE MUSCLE ATTACHMENT CAN BE POLARIZED TO OPERATE NORMALLY.


CHART NO.36. SCAPULA LIFT FOR BRACHIAL PLEXUS RELEASE



CONTACT OF THE FINGERS UNDER THE SCAPULA INSERTED ANYWHERE ALONG ITS RIDGE FROM THE BOTTOM TO THE TOP, WHEREVER IT IS HARDEST TO GET UNDER. THE HAND IS SUPPORTED BY THE KNEE, WHICH DOES THE LIFTING; THE FOOT RESTS ON A STOOL OR TABLE-BRACE. THE NEXT MOVE IS TO PULL THE SHOULDER OVER WITH THE OTHER HAND ON TO THE CONTACT. THE KNEE RAISES AND LIFTS THE SHOULDER. WHEN THE SCAPULAR MUSCLES ARE SO TIGHT THAT THE FINGERS CANNOT GET UNDER THEM, THEN, THE BIG TOE JOINTS AND THE TRANSVERSE ARCH OF THE FEET SHOULD BE RELEASED BECAUSE THEY ARE THE NEGATIVE POLES WHICH HOLD THEM BOUND BY THEIR WIRELESS CURRENT BLOCK.

THE LIFT ON THE POINT OF THE SHOULDERS ACCOMPLISHES A BRACHIAL PLEXUS RELEASE AND A GENERAL WELL BEING OFTEN FOLLOWS. PATIENTS GAIN WEIGHT AND DO BETTER AFTER THE SHOULDER BLADES ARE FREED. MENTAL AND PHYSICAL LOADS ARE CARRIED OVER THE SHOULDERS AND ARE BOUND UP WITH LIFE THRU RESPIRATION AND BY GROANS.

Fig. 1



THE COMPLETED CONTACT UNDER THE SHOULDER BLADE WITH THE FOREARM OF THE OTHER HAND IN FRONT UNDER THE SHOULDER JOINT, THE HAND EXTENDED TO GENTLY PUSH THE HEAD DOWN FOR A MORE COMPLETE RELAXATION AND STRETCH OF THE NECK MUSCLES, FREEING TENSION AND ENERGY BLOCK OVER THE BRACHIAL PLEXUS. IT IS A VALUABLE MOVE IN ALL RESPIRATORY, HEART, AND NERVOUS CONDITIONS, AND FOR RECUPERATING ENERGY.

Fig. 2

CHART NO.37. ADJUSTMENT OF TOES IN ONE MOVE – BIG TOE ADJUSTMENT AND ITS REFLEXES.

THE FIRM GRIP OF THE RIGHT HAND OVER THE TOES, READY FOR THE ADJUSTMENT. THE MOVEMENT IS A QUICK MOTION OF THE ENTIRE HAND, BENDING THE TOES DOWN AND PUSHING THE ARCH UP FROM UNDERNEATH BY THE FINGER CONTACT. THIS RELEASES TENSION ALL OVER, ESPECIALLY ACROSS THE SHOULDER GIRDLE WHERE IT REFLEXES TO.




Fig. 1



THE FINGER CONTACT CLEARLY UNDER THE TRANSVERSE ARCH, ONE FINGER TIP UNDER EACH JOINT IS THE PREPARATORY POINT. IT IS A RELEASE FOR NERVOUS TENSION AND EMOTIONAL LOCKS THRU THE BRACHIAL PLEXUS. IT IS THE NEGATIVE POLE TO THE SHOULDER GIRDLE AS A RESPIRATORY RELEASE.

Fig. 2




Fig. 3

THE BIG TOE ADJUSTMENT GIVEN HERE IS A VALUABLE MOVE FOR THE RELEASE OF TIGHT SHOULDER BLADES WHICH THE DOCTOR CANNOT GET UNDER TO LIFT; ALSO FOR SCIATICA AND PROSTATE TROUBLE AND ENLARGEMENT. THE WOMB, TOO, HAS A REFLEX HERE, AND LASTLY, IT IS THE BUNION ADJUSTMENT. THE CORRECTION IS MADE BY A SHARP SMACK AGAINST THE BIG TOE JOINT WITH THE SOFT PART OF THE PALM NEAR THE THIRD THUMB JOINT. IT WILL GIVE A CLICK MOST OF THE TIME. THE OBJECT IS TO BREAK THE LOCK AND FIXATION HERE OF THE ENERGY CURRENTS THAT AFFECT MANY PARTS OF THE BODY. SECONDLY, THE PHYSICAL OBJECTIVE OF THE BUNION ADJUSTMENT IS TO REPLACE THE CARTILAGE OF THE THE TOE JOINT BY A SHARP BLOW. THIS JOINT WHEN LOCKED IS STIFF AND SORE. IF THE DOCTOR SUCCEEDS IN BREAKING THAT LOCK, EVEN WITH A VERY LIGHT SLAP OF THE HAND, THE TOE MAY BE VERY SORE AND MAY EVEN TURN BLUE WHERE THE VENOUS STASIS IS RELEASED. BE SURE TO TELL THE PATIENT, FIRST, WHEN THERE IS NO FIXATION AND STASIS, THIS CORRECTION DOES NOT HURT.

DO NOT USE THIS ADJUSTMENT ON AN ARTHRITIC JOINT.

THE BIG TOE JOINT HAS A POWERFUL REFLEX ACTION NEAR THE CENTER LINE AND COULD BE COMPARED TO AN ATLAS ADJUSTMENT AT ITS MOST NEGATIVE POLE. OF THE SPECIAL SENSES IT HAS A REFLEX ACTION TO THE NOSE, THE TONGUE, SPEECH AND HEARING CENTER ABOVE.

WHERE THERE IS SORENESS A MERE PULL OF THE BIG TOE WILL BE SUFFICIENT FOR A POWERFUL REACTION. ALL OTHER TOES CAN BE TREATED LIKEWISE WHEN THE PATIENT PERMITS. IT RELEASES SHOULDER AND NECK REFLEX TENSIONS. IT IS MOST HELPFUL IN SCIATICA.

CHART NO.38.

FOOT ADJUSTMENTS FOR HIGH ARCH AND LOW ARCH THROUGH THE CUBOID.

THE FEET ARE SENSITIVE STRUCTURES AND NEED CARE AND ATTENTION PLUS PROPER SHOES. THESE BONES CAN BE MOLDED EASIER THAN ANY OTHER GROUP AND MANY REFLEXES AND PAINS CAN BE ELIMINATED BY IT. THE FEET REFLEX TO THE ENTIRE BODY.

THE RIGHT HAND GRIPS THE ARCH OF THE FOOT FIRMLY.

Fig. 1

THE LEFT HAND MAKES A CONTACT WITH THE SOFT PORTION OF THE THIRD PHALANX OF THE THUMB ON THE PALMAR SIDE, PRESSED AGAINST THE CUBOID BONE ON THE OUTSIDE OF THE FOOT AND SUPPORTING THE HEEL WITH THE FINGERS.




Fig. 2

THE ADJUSTMENT IS A TWIST OF THE RIGHT HAND AND A QUICK SHORT THRUST BY THE LEFT HAND. IT FREES THE LOWEST JOINT OF THE BIG TOE PLUS REPLACING THE CUBOID AND RAISING THE ARCH. IT REFLEXES TO THE MIDDLE PART OF THE BODY AND IS TONIC IN ITS EFFECT.

THE REVERSE ADJUSTMENT FOR A HIGH ARCH. THE FIRST CONTACT IS MADE ON THE FOOT OVER THE HIGHEST SPOT ON THE TOP OF THE ARCH BY FIRM PRESSURE WITH THE STRONG MIDDLE FINGER UPON IT.

THE KIDNEY REFLEX AREA IN EACH FOOT IS ADJUSTED IN THE SAME WAY AS THE HIGH ARCH.



Fig. 3

REINFORCE THE FIRST CONTACT WITH THE OTHER HAND BY USING THE MIDDLE FINGER PRESSURE OVER THE ORIGINAL CONTACT.




Fig. 4

THE FEET ARE THE MOST NEGATIVE POLE OF THE ENTIRE BODY AND BECAUSE OF THIS FACT MANY NEGATIVE ENERGY BLOCKS ARE FOUND HERE THAT CAN BE REMOVED BY MANIPULATION AND MOULDING TO CONFORM TO THE REST OF THE BODY IN ENERGY RESPONSE WHICH SHOWS ITSELF IN FLEXIBILITY AND ELASTICITY OF TISSUES. CRYSTALLIZATION AND HARDNESS SPELL OLD AGE DECAY AND DEATH. YOUTH IS ELASTIC. FOR SPECIFIC REFLEX AREAS SEE CHART 4 AND FOR DEFINITE FUNCTIONAL REGIONS SEE CHART 2.

WITH THE THUMBS UNDER THE ARCH, PUSH THE FOOT HEADWARD AND WITH THE ANTERIOR CONTACT FIRM. THEN THE ADJUSTMENT IS A MERE STEADY PUSH OF ONE CONTACT AGAINST THE AS A STRETCH, THEN A QUICK SHORT PULL AND IT IS DONE. WHEN INDICATED, THE ADJUSTMENT CAN BE HEARD DISTINCTLY. USUALLY IT DOES NOT HURT. IT REFLEXES TO THE MIDDLE OF THE BACK.



Fig. 5

CHART NO.39. OCCIPITO-TEMPORAL CONTACTS AND POSITIONS.




Fig. 1




Fig. 2

COMPLETED CONTACT




Fig. 3




Fig. 4




Fig. 5

POSITION OF HAND ON OCCIPUT FOR A STRETCH TO OPEN FORAMEN MAGNUM OPPOSITE TO THE ADJUSTING CONTACT. IT ALSO HAS A POSITIONING EFFECT ON THE TEMPORAL BONE.

ADJUSTMENT POSITION FOR THE TEMPORAL-OCCIPITAL REGION PLUS A 7TH CERVICAL AND 1ST DORSAL CORRECTION, ALL IN ONE MOVE.

THE PRINCIPLE OF THIS CONTACT IS BASED UPON THE CROSSING OVER OF THE BRAIN CURRENTS IN THE NECK AND ITS LETTER X EFFECT ON TISSUES. A GENTLE CORRECTION GIVEN HERE IS SUPPORTED BY THE ENTIRE HAND. IT GIVES BY ITSELF WHEN THE LINE OF FORCE IS CORRECT AND INDICATED BY MUSCLE TENSION. A RELAXATION OF THE LOWER POLES MUST BE ACCOMPLISHED FIRST OR IT WILL NOT STAY PUT.

CONTACT FOR A STRETCH ON THE OCCIPUT AND THE NECK MUSCLES TO OPEN THE FORAMEN MAGNUM WITH THE OTHER HAND UNDERNEATH IN THE SAME POSITION ACTING AS A FULCRUM




Fig. 1




Fig. 1

DOUBLE CONTACT ON THE TEMPORAL AND OCCIPITAL BONE FOR A LATERAL SIDE BEND STRETCH




Fig. 2

DOUBLE CONTACT IN ACTION OR THE ROCKING STRETCH MOVEMENT TO LINE UP THE HEAD VERTICALLY WITH THE BODY. THE OCCIPITAL CONDYLES ARE INSIDE OF THE ATLAS ARTICULATION AND CONTROL ATLAS MOVEMENTS. PULLS FROM BELOW ALSO ACT AS A LEVERAGE ON THESE MUSCLES. OFTEN A LEFT LATERAL ATLAS IS RELEASED BY A PERINEAL CONTACT IN ALL EMOTIONAL CONDITIONS AND ESPECIALLY IN PREGNANCY. USE IT FIRST.




Fig. 2

SHOWING THE CONTACT FROM THE SIDE VIEW. THE HAND MUST FIT THE HEAD AND SUPPORT IT. THE MOVEMENT IS A GENTLE MOLDING STRETCH NO FORCE IS NECESSARY FOR BEST RESULTS. CELLS AND TISSUES MOVE WITH THE VIBRATORY RHYTHMIC IMPULSE OF THE LIFE FORCE IN THE BREATH.

A STRETCH OF THE OCCIPITAL AND UPPER DORSAL REGION. ADJUSTMENTS OF THE UPPER DORSALS BY TWO METHODS.



Fig. 1

THE NECK IS THE ETHERIC FIELD OF ENERGY OUT OF WHICH THE LOWER OVALS AND CENTERS ARE FORMED BY REFLECTION FROM ABOVE. SEE CHART I. FROM THIS CENTER FLOW OUT THE FOUR RIVERS OF ENERGY TO THE LOWER FOUR CENTERS OR CHAKRAS AND RETURN TO IT AS A CIRCUIT. THEREFORE WE FIND THAT THE NECK IS THE PROVERBIAL CENTER THAT CATCHES EVERYTHING IN ITS POSITION AS A LINK BETWEEN THE HEAD AND THE BODY. IN PHYSIOLOGY WE FIND THAT THE CRANIAL NERVES REFLEX THERE, ESPECIALLY THE PNEUMOGASTRIC AND ITS ABDOMINAL REACTION, THE TWO SYMPATHETIC GANGLIONS ALSO HAVE THEIR INFLUENCE IN THE NECK WITH REFLEXES FROM BELOW. NO WONDER MOST PERSONS ARE NECK CONSCIOUS WHEN THEY ARE UNDER MENTAL-EMOTIONAL TENSION OR HAVE INDIGESTION OF VARIOUS KINDS. TECHNIQUES OF REFLEX THERAPY WHICH RELEASE CAUSES OF THE ENERGY BLOCKS FROM BELOW SHOULD BE USED FIRST BEFORE ANY ATTEMPT IS MADE TO TREAT OR TO ADJUST THE NECK.

FIG. 1 SHOWS THE PATIENT LYING ON HIS STOMACH WITH THE FACE TURNED TO THE SIDE OF THE CONTACTS. THE LINES OF FORCE TO BE INFLUENCED ARE SHOWN BY THE ARROWS. THE LEFT HAND IS ON THE TENDER AREA OF THE OCCIPUT WHICH HAS BEEN UNDER TENSION. THE TECHNICIAN'S RIGHT HAND IS ON THE RIGHT SIDE OF THE SPINE OVER THE UPPER DORSAL VERTEBRAE WHICH ARE THE NEGATIVE POLE OF THE TENSION AREA. THE TWO CONTACTS ARE A STRETCH ALONG THE LINES OF FORCE AND THE ADJUSTMENT IS MERELY A LITTLE MOVE AT THE END OF THE STRETCH. THERE MUST BE NO ROTATION MOVEMENT ON THE HEAD. THIS WOULD PRODUCE A TWIST IN THE NECK MUSCLES WHICH IS UNDESIRABLE.





Fig. 2

FIG. 2 SHOWS AN ELASTIC ADJUSTMENT WITH THE THUMBS ON THE TRANSVERSE PROCESSES OF THE UPPER DORSALS WITH COMPLETE RELAXATION THIS IS A UNIQUE TECHNIQUE IN THE CORRECT DIRECTION OF THE LINES OF FORCE AND THERE IS LITTLE HURT ATTACHED TO IT. A ROCKING DIRECTIONAL TENSION RELEASE IS MOST EFFECTIVE IN RELIEVING ENERGY BLOCKS WHICH CAUSE SORENESS AND PAIN.

GENERAL RULE FOR CORRECTING ANTERIOR UPPER DORSAL VERTEBRAE:

THE UPPER DORSAL CURVE MUST BE BROUGHT TO THE POSTERIOR BEFORE ANY CORRECTION FOR ANTERIORITY CAN BE MADE. THE HIGHER THE CURVE IS PLACED POSTERIORLY BY BENDING THE HEAD FORWARD ON THE CHEST, THAT MUCH MORE LEVERAGE IS APPLIED TO THE UPPER SIX DORSAL ARTICULATIONS FOR THE CORRECTION OF ANTERIORITY. WHEN THE PATIENT IS LYING ON THE STOMACH A FAIRLY FIRM SUITABLE SIZE CUSHION SHOULD BE PLACED UNDER THE CHEST, TO BRING THE PEAK OF THE POSTERIOR CURVE ON THE ARTICULATION WHERE THE ANTERIORS ARE TO BE CORRECTED BY ANY METHOD. IN THIS POSITION, FOR CORRECTING RIB ARTICULATIONS THIS IS A GOOD POSITION WITH A FIRM SUPPORT UNDER THE CHEST. IT CAN BE DONE WITHOUT PAIN WITH THE HEAD IN A SPLIT CUSHION-FACE DOWNWARD.


CHART NO.42. THE NORTH POLE STRETCH.



CONTACT ON THE OCCIPUT WITH THE MIDDLE FINGERS FOR THE NORTH POLE STRETCH AFTER RELAXATION OF TENSION

Fig. 1

THIS IS A MOVE TO RESTORE THE POSITION OF THE OCCIPUT AND ATLAS, WHICH ARE PULLED INFERIORLY BY THE ATTACHED MUSCLES. THE OBJECT IS TO RELEASE THE COMPRESSION BETWEEN THE VERTEBRAE ON THE CARTILAGENOUS DISKS. THIS CAN BE ACCOMPLISHED SOMETIMES ALL ALONG THE SPINAL COLUMN WHEN RELAXATION IS COMPLETE.



A GENTLE MOULDING STRETCH IS USED FIRST TO RELEASE AND TEST TENSION AND THE ADVISABILITY OF AN EXTENSION OF THE HEAD. IF TOO LOOSE OR TOO TIGHT NO ADJUSTING PULL SHOULD BE GIVEN.

Fig. 2

POSITION FOR A STRETCH AND AN ADJUSTMENT TO RELEASE COMPRESSION BY A PULL STRAIGHT HEADWARD FROM THE OCCIPITAL BASE CONTACT. THE JAW AREA IS USED ONLY TO STEADY THE HEAD AND MAKE THE HOLD FIRM.

HEAD MOULDING THERAPY AND ITS DEFINITE EFFECT ON BODY AREAS.






Fig. 1



TOP OF A BABY'S SKULL SHOWING THE BONES OF THE CRANIUM NOT YET GROWN TOGETHER.

Fig. 5



NATURAL DIVISIONS OF THE HUMAN SKULL.

Fig. 6




Fig. 2




Fig. 7

THE SACRUM CONSISTING OF FIVE FUSED VERTEBRAE AT THE LOWER END OF THE SPINAL COLUMN

EVERY CONTACT ON THE BODY HAS A DEFINITE REACTION, ESPECIALLY OVER VITAL CENTERS AND REPRESENTATIVE POLAR REFLEX AREAS. IN MOLDING THE HEAD OR THE NECK WHICH ARE SUPERIORLY LOCATED, THE WHOLE BODY IS INFLUENCED BY DIRECT IMPULSES AND BY RELEASING ENERGY BLOCKS DUE TO REFLEXES FROM BELOW, THESE AREAS ARE ALSO BENEFITTED. THE MOLDING OF THE CRANIAL BONES IS AN ART IN ITSELF. EVERYTHING DEPENDS ON KEEN OBSERVATION AN ELASTIC AND FIRM TOUCH, AND THE SKILL OF THE OPERATOR. WHEN WORKING WITH GREAT INTEREST AND ATTENTION A DOCTOR CAN LEARN DIRECT FROM LIFE. THE MOULDING PROCESS INVOLVES DIRECTIONAL FORCE USED PLUS THE POLARITY REFLEXES. THE CENTRAL AXIS OF THE BODY'S ENERGY FIELD IS DEFINITELY INFLUENCED BY EXTERNAL IMPULSES OF ENERGY APPLIED WHICH REACTS THRU THE WIRELESS ENERGY WHIRLS, FLOWING THRU THE MENINGES LIKE AN INDUCED CURRENT AND EFFECTS THE TENSION OF THE CEREBRO SPINAL FLUIDS LOCALLY. THE SKULL IS A HOLLOW BAND SHELL IN WHICH THE ULTRA SONIC ENERGY CURRENT OF THE SOUL REVERBERATES LIKE THE MUSIC OF THE SPHERES AND IS THUS BROADCASTED; THE BRAIN ACTING AS THE CONVERTER AND SWITCHBOARD FOR THE WHOLE BODY.

IS IT POSSIBLE THAT THESE FIVE BONES OF THE SACRUM HAVE A DEFINITE RELATIONSHIP TO THE FIVE BONES ON THE TOP OF THE HEAD LIKE THE FOUNDATION OF A HOUSE HAS TO ITS ROOF? THESE FIVE BONES ARE MOULDS OF THE FIVE ENERGY FIELDS OR TATTWAS AND THE FIVE LIFE ENERGY CURRENTS OF PRANA FLOWING THRU THEIR CENTRAL CONTENTS AND NERVE CENTERS.

THE SUPERIOR OVAL IS THE MENTAL FIELD; THE GOVERNOR, THE INFERIOR TRIANGLE IS THE VITAL SUSTAINING FORCE AND FIELD. ONE IS THE CROWN OF MAN, THE OTHER WAS CALLED THE SACRED BONE. WHAT FORCE OF POTENTIAL ENERGY LIES HIDDEN HERE? AND WHAT ARE ITS MYSTERIOUS POSSIBILITIES WHEN RAISED TO FULLY AWAKENED CONSCIOUSNESS? THE SPACE IN BETWEEN IS THE NEUTER POLE OF THE LIFE ENERGY; THE SUSTAINER (VISHNU) THE SUPPORTER AND PRESERVER OF ORGANISMS.




Fig. 3




Fig. 4

SPECIAL SENSE FUNCTIONS OF THE BRAIN AND THEIR REPRESENTATIVE LOCATIONS ON THE HEAD.

THESE EXTERNAL AREAS CAN BE INFLUENCED BY MANIPULATION TO REACT THROUGH THE BRAIN AS A PHYSIOLOGICAL STIMULI.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5

FIG.1 BELONGS TO THE OTHER CHART OF ANATOMICAL REFLEX AREAS IN THE HEAD. IT IS LEFT HERE ON PURPOSE, TO SHOW THE CONNECTION BETWEEN THE MECHANICAL ASPECT OF MOLDING BONES AND ITS REFLEXES TO THE BODY AND EFFECTS THRU THE BRAIN, ITS CONVOLUTIONS AND THE CEREBROSPINAL FLUID. FIGS.2-3 AND 4 GIVE GENERAL AREAS FOR THE EXPRESSION OF THE FINER QUALITY ACTIONS OF THE SOUL WHICH MANIFEST AS FACULTIES THRU THE MIND AND BUILD THEIR RESPECTIVE REPRESENTATIVE LOCATION OF ORGANS IN THE BRAIN TO EXPRESS THESE MENTAL QUALITIES AND IMPULSES. NO ATTEMPT IS MADE HERE TO TEACH PHRENOLOGY, BUT MERELY BRING ABOUT A LINK OF UNDERSTANDING, THAT SOUL FUNCTION HAS EVERYTHING TO DO WITH BODY AND MIND FUNCTION.

ALL PSYCHIATRY HAS ITS ROOTS IN THE MIND, WHICH OPERATES THESE FACULTIES THRU REPRESENTATIVE BRAIN AREAS. SINCE IT IS ESTIMATED THAT FROM 40 TO 60 PERCENT OF ALL DISEASES HAVE A PSYCHOSOMATIC ORIGIN IT WOULD BE WELL TO GIVE THIS ASPECT MORE ATTENTION. AN INTELLIGENT ENTITY LIVES IN THIS BODY, AND IT IS NOT A MERE CHEMICAL-MECHANICAL LABORATORY. EVERY REACTION DEPENDS ON THE CENTRAL ACTION OF THIS SOUL IN THE BODY AND ITS FINE ULTRA-SONIC VIBRATORY ENERGY CURRENTS. A PHYSIOLOGICAL PHASE COULD BE ADDED TO PSYCHIATRY BY FINDING THE WEAKER FACULTIES AND DEFICIENT ORGANIC REPRESENTATION AND BUILD THEM UP BY MENTAL EXERCISE LIKE TRAINING FOR A VOCATION.




Fig. 6

CHART NO.45. A SPECIFIC CONTACT IN THE SITTING POSITION FOR ADJUSTING FIXATIONS OF DORSAL VERTEBRAE AND ANTERIOR DORSALS - A STRETCH OF THE SPINE FOR THE RELEASE OF GASES.

**COUNTRYSIDE
TECHNIQUE**


Fig. 1



CONTACT
OVER THE
TRANSVERSE
PROCESS

CONTACT
OVER THE
SPINOUS
PROCESS

Fig. 2



FIGS. 1-2 SHOW THE PREPARATION FOR THE LIFT AND THE CONTACT POINTS ON THE HAND OVER THE SPINE, THIS CAN BE DONE ON EITHER SIDE.

FIG. 3 SHOWS THE APPLICATION WITH THE ELBOW SUPPORTED ON THE KNEE OF THE OPERATOR AS A FULCRUM. THE OPERATOR'S OTHER ARM IS IN FRONT OF THE SHOULDER WITH A HOLD ON THE PATIENT'S ELBOW FOR THE LIFT. THIS CAN BE A GENTLE ROCKING MOTION AND STRETCH OF ANY ARTICULATION IN THE SPINE TO SEPARATE THEM AND HOLD THEM FOR A MOMENT FOR THE REFLEX RELEASE OF GAS IN THE BOWELS AND TISSUES.



Fig. 3

THE ADJUSTMENT IS MERELY AN INCREASE IN THE LIFT AND THE FULCRUM, RAISED BY THE SUPPORTING KNEE. IT IS EASIER THAN IT LOOKS AND NEEDS BUT LITTLE FORCE.

THE CONTACT FOR ANY ANTERIORITY IS ON THE VERTEBRAE BELOW IT SO THE FULCRUM IS ON THE ANTERIORITY OF THE JOINT BY THE SUPPORT IMMEDIATELY BELOW IT.

THIS CONTACT CAN ALSO BE USED ON THE TRANSVERSE PROCESS FOR ROTATION OR FIXATION OF SPINAL ARTICULATIONS.

Fig. 4



FIG. 4 SHOWS THE APPLICATION IN THE UPPER DORSALS WITH THE HEAD BENT FURTHER FORWARD FOR THE CORRECTION OF THE ANTERIORITY OF ANY VERTEBRAE SELECTED.

EXTREME TENDERNESS ON THE SPINOUS PROCESS IS USUALLY A DEFINITE INDICATION OF IT. HOWEVER, ANY FIXATION MAY ACT LIKE AN ANTERIORITY AND SHOULD BE TREATED AS SUCH.

COUNTRYSIDE
TECHNIQUE

Fig. 1

FIG.1 SHOWS THE SAME ARM LIFT AND KNEE POSITION ON THE CHAIR AS IN CHART NO.36 THE THUMB AND THE FINGERS SLIDE UNDER THE SHOULDER BLADE AS THE SHOULDER IS LIFTED. BOTH CONTACTS ARE ALL AROUND THE SHOULDER BLADES WHERE THE TENSION IS FOUND.



Fig. 2

ANY DOCTOR SHOULD BE EQUIPPED WITH A GOOD MANIPULATIVE ART WHICH CAN BE SKILLFULLY GIVEN ON AN ORDINARY KITCHEN CHAIR FOR THE RELIEF OF MANY AILMENTS AND PAINS. IN TREATING THE SPINE SITTING UP, A GREATER LEVERAGE CAN BE APPLIED WITH A FULCRUM AT ANY POINT TO SEPARATE ARTICULATIONS, AND TO CORRECT ANTERIORITY BY PLACING THE HAND AS A FULCRUM OVER THE SPINOUS PROCESS ON THE VERTEBRAE BELOW IT. FOR THE RELEASE OF GAS PRESSURE AND ACUTE INDIGESTION THIS TYPE OF PROCEDURE HAS AN ADVANTAGE OVER TABLE TECHNIQUE BECAUSE GASES MUST GO UP AND THIS HELPS THE PATIENT TO BELCH FREELY. CHRONIC LIVER AND GALL BLADDER PATIENTS ARE USUALLY FULL OF GAS, DUE TO AN INCOMPETANT ILEO CAECAL VALVE AND COLITIS. EVEN IN OFFICE TREATMENTS THE PATIENT SHOULD BE DEGASED FIRST, IN ORDER TO GET RELIEF AND MAKE FURTHER THERAPY MORE EFFECTIVE.

FIG.2 SHOWS THE LEFT HAND OF THE OPERATOR FITTED OVER THE ANTERIOR PART OF THE SHOULDER, PUSHING BACKWARDS, WHILE THE FINGERS OF THE OTHER HAND SLIPS UNDER THE BLADE AS FAR AS POSSIBLE; THEN THE RIGHT KNEE LIFTS THE CONTACT AND THE WHOLE SHOULDER.

CHART NO.47. A WELL SUPPORTED MOVE IN SITTING POSITION FOR MUSCLE RELEASE OF THE NECK AND DORSAL REGION DOWN TO THE NINTH VERTEBRA.




Fig. 1

CONTACT OF THE FINGERS BEHIND THE EAR, ON THE JAW, AND THE HAND ON THE NECK SO THAT THE HEAD CAN BE ROTATED.

COUNTRYSIDE TECHNIQUE




Fig. 2

NOTE THE SUPPORT ON THE NECK AND SHOULDERS SO THERE IS NO STRAIN. THE MIDDLE FINGER IS BEHIND THE EAR.

HIGH SHOULDER

THE BRACING CONTACT POINT ON THE HIGH SHOULDER SIDE. THIS CONTACT IS ON THE MUSCLES PUSHING THEM TOWARD THE SPINAL GROOVE. IT CAN BE ANYWHERE ON THE NECK, OR THE DORSALS DOWN TO THE 9TH SHOWN IN FIG. 3

THIS IS JUST ONE PHASE OF REMOVING ENERGY BLOCKS IN THE MOTOR AREA AFTER HAVING DULY RELEASED THE SENSORY BLOCKADE IN THE ANTERIOR AND INFERIOR BODY AREAS.





Fig. 3

THIS IS DONE WITH THE PATIENT SITTING ON THE TREATMENT TABLE, SPECIAL CHAIR, OR ANY CHAIR. THE OPERATOR STANDS BEHIND THE PATIENT FACING HIS BACK.

THE HEAD IS USED AS A SUPPORTED FULCRUM TO POSITION THE ATLAS THRU ITS CONDYLES WITHIN THE RING OF THE OCCIPUT AND TO RELEASE AND FREE CERVICAL AND DORSAL VERTEBRAL FIXATION AND TENSION BY GENTLE RHYTHMIC MOVES. SPASTIC MUSCLES ARE INHIBITED IN THIS PRESSURE GLIDE TOWARD THE CENTER LINE AND ENERGY BLOCKS ARE REMOVED BY THE DIRECTIONAL FORCE EMPLOYED.

CHART NO.48. FINAL MOVE FOR THE CORRECTION OF A HIGH SHOULDER.



THE COMPLETED CONTACT FROM AN ANTERIOR VIEW. THIS PROCEDURE IS VERY VALUABLE WHERE NO TABLE IS AVAILABLE AND RELEASE OF THE NECK TENSION IS NECESSARY, AS WELL AS RELIEF OVER THE BRACHIAL AREA. IT IS A POWERFUL LEVERAGE AND VERTEBRAES WILL LINE UP EASILY AS YOU GO ALONG. ANY TENSE MUSCLE AREA CAN BE HELD LONGER OR GONE OVER AGAIN. A CORRECT AND RELAXING MOVEMENT GIVEN HERE, WILL OPEN THE FORAMEN MAGNUM AND FREE THE ATLAS. THE SHOULDER CONTACT IS STIMULATING IN ITS EFFECT.

THE CONTACT ARM FITS OVER THE PATIENT'S SHOULDER AND THE HAND SUPPORTS THE ENTIRE NECK, SO THERE IS NO STRAIN WHATEVER BY AN UNSUPPORTED LEVERAGE. IT IS NOT THE OLD T. M. MOVEMENT FOR ADJUSTMENT. THE OBJECTIVE HERE IS TO MOVE ENERGY BLOCKS BY STIMULATION AND MUSCLE TENSION RELEASE.

EXTENSION OF THE NECK IN SITTING POSITION FOR HEADACHES, GAS PRESSURE AND OCCIPITO-ATLAS AND FORAMEN MAGNUM RELEASE.

COUNTRYSIDE
TECHNIQUE

CONTACT POINT OF THE HAND LAID OVER THE FIRST DORSAL VERTEBRAE




Fig. 1




Fig. 2

THE HANDS WITH THE FINGERS AND THUMBS UNDER THE OCCIPUT WHERE THEY FIT. THE LEFT HAND IS PLACED ON THE FOREHEAD ABOVE THE EYEBROWS.




Fig. 3




Fig. 4

THE HEAD IS PUSHED BACK ONTO THE HAND WHICH ACTS AS A LIFT TO THE HEAD, BY THE FIRM SUPPORT OF THE BOTTOM OF THE HAND ON THE VERTEBRA PROMINENCE OR ON THE FIRST DORSAL, DEPENDING ON THE SIZE OF THE OPERATOR'S HAND AND THE LENGTH OF THE PATIENT'S NECK. IT IS MERELY A LIFT BY A POSTERIOR FLEXION OVER THE HAND. NO FORCE OR JERK SHOULD BE USED. REPEAT SEVERAL TIMES AS A DIRECTIONAL STRETCH TO RELEASE BLOCKS, PAIN AND CONGESTION.

SUCCESSIVE MOVES OF A NEW UPPER DORSAL LIFT FOR ANTERIORITY AND RELAXATION WHEN INDICATED.

COUNTRYSIDE
TECHNIQUE

THE PRELIMINARY CONTACT WHERE THE WRIST FITS RIGHT IN OVER THE CLAVICLE.




Fig. 1

FIG. 2. THE HANDS ARE FOR CONTACT ON THE OCCIPUT. NOTE HOW THE THUMB FITS CLOSE TO THE SHOULDER, AND THE ARM IS FIRMLY PLACED UNDER THE ARMPIT NEAREST TO THE BODY. NO SPACE FOR STRAINED LEVERAGE IS GIVEN, THE BEND OF THE HEAD FORWARD IS DETERMINED BY THE DEGREE OF ANTERIORITY IN THE UPPER DORSAL REGION AND THE AMOUNT OF FLEXION POSSIBLE WITHOUT STRAIN.




Fig. 2




Fig. 3

FIG. 3. THE ANTERIOR VIEW OF THE HOLD, READY FOR THE LIFT, WHICH IS AGAINST THE CHEST OF THE OPERATOR. THE BEND OF THE HEAD MUST BRING THE DORSAL ANTERIORITY POSTERIOR, AND AT THIS POINT, THE FULCRUM OF THE CHEST IS APPLIED IN A GENTLE LIFT.

TEST THE POSITION FIRST. IF IT HURTS AT ALL, NO LIFT MUST BE GIVEN, FOR THERE IS NO LOWER DORSAL-LUMBAR COMPENSATION. A CORRECTION NOW WOULD RESULT IN SPASTIC MUSCLES WHICH CANNOT COMPENSATE.

REPLACEMENT OF THE TENDON OF BICEPS FOR ARM THAT CAN NEITHER BE RAISED COMPLETELY NOR BROUGHT BACKWARDS.




Fig. 1

THE CONTACT LIFTS THE TENDON BACK INTO THE GROOVE OF THE HUMERUS AND HOLDS IT THERE WHILE IT IS ROTATED TO A NORMAL POSITION.




Fig. 2

PATIENT IS ON THE BACK WITH THE ARM FLEXED TO TAKE THE STRAIN OFF THE TENDON. THE HUMERUS IS ROTATED FORWARD BY LAYING THE ELBOW ON THE TABLE AND THE HAND FLEXED ON THE BODY. THE THUMB THEN TAKES A FIRM CONTACT IMMEDIATELY UNDER THE SLIPPED TENDON AND PUSHES UPWARD, AT THE SAME TIME THE HUMERUS IS ROTATED POSTERIORLY BY BRINGING THE FLEXED ARM UP TOWARD THE HEAD - EVEN WITH THE TABLE. THE CONTACT IS HELD AND THE ARM IS STRAIGHTENED OUT.




Fig. 3




Fig. 4

EXERCISE FOR OPENING
NOSTRILS AND SINUSES -
RELIEF OF HEAD CONGESTION.

A BRAND NEW APPROACH TO EXERCISE FOR
OPENING THE SINUSES AND NOSTRILS AND TO RELIEVE
THAT STUFFY FEELING IN HEAD COLDS.




Fig. 1

THE POSITION IS FACE DOWN WITH THE LEGS FLEXED AND
THE FEET SWUNG OUTWARD AS FAR AS POSSIBLE UNTIL
THERE IS A STRAIN FELT IN THE HIP JOINT AND
SACROILIAC ARTICULATION.

THEN SWING THE FEET PAST EACH OTHER MEDIANLY, AND
OUTWARD AGAIN. REPEAT THIS FOR 5 OR 10 MINUTES,
SEVERAL TIMES AND THE HEAD WILL CLEAR AND THE
NOSTRILS WILL OPEN, IT CAN BE DONE ON THE FLOOR
OR ON THE BED AND REPEATED AS OFTEN AS NEEDED.




Fig. 2

THE FACTORS THAT PRODUCE IT ARE FIRST: THE PUMPING ACTION
OF THE HIP JOINTS AND MUSCLES STIMULATING THE SACRAL CENTER
AND FLUIDS REACTING UPON THE MEDULLA OBLONGATA AND THE
CEREBELLUM THE SERPENT FORCE OF THE SUN AND MOON ENERGIES
OR THE CADUCEUS FROM THE BRAIN ARE ACTIVATED AT THE NEGATIVE
POLE, WHICH OPENS THE BREATHING CENTERS IN THE HEAD.

THE OTHER POINT IS THE FACT THAT THE FEET IN THE MOTION OF
CROSSING EACH OTHER CUT THE ELECTRO-MAGNETIC LINES OF FORCE
EMANATING FROM THEM, ACTING LIKE A DYNAMO IN PRODUCING A
MUSCULAR TONE EFFECT ON THE BODY. THIS DEMONSTRATES THE
FACT OF THE INFERIOR PRODUCING AN EFFECT UPON THE SUPERIOR
BY THE RETURN CURRENT FLOW.

CHART 53. CHECKING FOR THE TENSE LEG AND HIP WHICH IS USUALLY THE SHORT LEG AND RELEASING IT BY A TORQUE AND A RHYTHMIC MOVEMENT.




Fig. 1

FIG. 1 ILLUSTRATES THE TEST ON BOTH FEET. ONE RESISTS MORE AND DOES NOT GO FREELY TOWARDS THE MEDIAN LINE WHEN PUSHED GENTLY WITH A FINGER. SOMETIMES THE TEST HAS TO BE OUTWARD AS WELL, TO COMPARE TENSION AND RESISTANCE IN THE OPPOSITE DIRECTION WHEN PRESENT.

FIG. 2 PLACES THE FOOT AND LEG WITH THE GREATEST TENSION, IN A POSITION TOWARD THE MEDIAN LINE, BY LIFTING THE FOOT AWAY FROM THE OTHER AND ROTATING THE THIGH GENTLY TOWARD THE MIDDLE TO TAKE OUT ALL THE SLACK. NO FORCE IS USED. IT MERELY LAYS THE LEG IN THE RIGHT POSITION.



Fig. 2




Fig. 3

THE HAND FROM THE FOOT (FIG. 2) IS BROUGHT ON THE INSIDE OF THE THIGH AND HOLDS ROTATED POSITION.

FIG. 3 SHOWS THE LOWER HAND ON THE INSIDE OF THE THIGH AND THE OTHER HAND SPREAD OUT ON THE ABDOMEN WITH THE THUMB ABOVE THE SYMPHYSIS PUBIS ON THE ABDOMINAL MUSCLES TO CONTROL THE DIRECTION. NOW A LIGHT ROCKING MOTION IS STARTED IN WHICH THE PATIENT'S BODY ROCKS AS A WHOLE UNTIL THE TENSION OF THESE MUSCLES IS RELEASED. THERE IS NO THRUST, NO FORCE, AND NO PUSH.

SPASMS OF THE RIGHT ANTERIOR THIGH MUSCLES INDICATE LIVER DISTURBANCES. SPASMS OF THE LEFT ANTERIOR THIGH MUSCLES A STOMACH BLOCK.

CHART NO. 54. THE OS CALCIS BONE AS THE NEGATIVE REFLEX POLE FROM THE POSITIVE OCCIPUT AND THE NEUTER SACRUM AFFECTING THE POSTURE AND FUNCTIONS OF THE BODY. POSTERIOR VIEW OF LEG DISTORTIONS THROUGH THE FEET.




Fig. 1

NORMAL HEEL IN LINE WITH THE LEG, WHICH ALLOWS FREE ROTATION IN EITHER DIRECTION.




Fig. 2

BOTH HEELS OUT OF LINE, AND EASY TO BEND IN ONE DIRECTION ONLY




Fig. 3

CONTACT ON THE FOOT, AND THE THUMB ON THE MOST TENDER SPOT JUST ABOVE THE HEEL, FOR REFLEX ACTION, AND BRINGING IT IN LINE.




Fig. 4

CONTACT HELD WITH ONE HAND WHILE THE OTHER HAND IS ROTATING AND ROCKING EITHER THE THIGH IN THE SAME DIRECTION FOR HIP RELEASE, OR IS APPLIED TO THE BACK OR THE NECK FOR REFLEX RELEASE BY JUST HOLDING BOTH CONTACTS.







Fig. 5

A COMPLETE FINGER CONTACT NEAR THE HEEL FOR REFLEX RELEASE, AND A CONTACT WITH THE THUMB ON THE DIAPHRAGM AREA, HOLDING BOTH FIRMLY FOR RELEASE OF TENSION IN THE FOREHEAD SINUSES OR DIFFICULT BREATHING.

PRESSURE HERE AFFECTS THE DIAPHRAGM AND RELEASES MUSCLE TENSION, CLOGGED NOSE AND STUFFINESS IN THE HEAD.

CHART NO. 55. ROTATION OF FEET AND THE CORRECTION OF THE OS CALCIS POSITION IN RELATION TO THE HIGH AND LOW SIDES OF THE HIPS, AND THE ENTIRE BACK.



GRAVITY CENTER OF MOTION
 A STRAIGHT LINE DRAWN THRU THE CENTER OF EACH ACETABULUM GIVES THE WEIGHT BEARING GRAVITY CENTER OF MOTION IN THE BODY. ALL MOTOR IMPULSES OF THE BODY EXPRESSED AS PHYSICAL MOTION, REFLECT TO THIS CENTER LINE. THE BODY MUST MAINTAIN A BALANCE BETWEEN ITS FORCE OF MUSCULAR IMPULSES AND THE CENTER LINE. THE BODY MUST MAINTAIN A BALANCE BETWEEN ITS FORCE OF MUSCULAR IMPULSES AND THE CENTER OF GRAVITY MOMENTUM.

THERE IS USUALLY A HEEL SORENESS AND A SEVERE OCCIPITAL TENSION FOUND ON THE SHORT LEG SIDE. SOME TIMES IT CROSSES OVER FROM ONE HEEL TO THE OPPOSITE OCCIPUT. RAISED PORTIONS OF THE BACK ALSO SHOW THE MUSCLE PULL THERE, WHICH IS RELEASED BY ROCKING AND HEEL LINEUP. THIS IS THE POLARITY WAY OF BALANCING BAD FEET BY LINING THEM UP WITH GRAVITY AND RELEASING MUSCULAR TENSIONS THRU THE ELECTRO MAGNETIC CIRCUITS OF THE BODY. IT ACCOMPLISHES MORE THAN MERE HEEL LIFTS AND ARCH SUPPORTS AIM AT.

THIS IS A HIGH POINT IN THERAPY AND EASILY ACHIEVED BY THIS METHOD OF POLARIZING FIELDS AND FORCES.

CHART 56. CORRECTING BODY ROTATION THRU THE HIP JOINT ARTICULATION AND THE OS CALCIS POSITION AND REFLEX ON THE SIDE OF THE SHORT AND TENSE LEG.




Fig. 1

THE LOWER CONTACT IS ON THE OS CALCIS AS SHOWN HERE WITH A FIRM CONTACT - BENDING THE FOOT OUTWARD WHILE THE THUMB PUSHES ON THE TENSE AND TENDER SPOT ON THE HEEL BONE TO RELEASE ITS FRICTION AND LINE IT UP WITH THE CENTER LINE OF THE LEG AS SHOWN ON CHART 54, FIG. 1+3. THE PATIENT LIES ON THE SIDE WITH THE SHORT LEG UP SO IT CAN BE TREATED.

THE UPPER CONTACT IS USUALLY FROM THE ANTERIOR AROUND THE HEAD OF THE FEMUR TO THE CREST OF THE ILIUM WHERE THE GREATEST TENSION EXISTS. PRESSURE IS APPLIED ON TIGHT BANDS OF MUSCULATURE AND HELD FIRMLY UNTIL RELAXATION TAKES PLACE. IN THIS MANNER THE AREA AROUND THE ACETABULUM IS RELEASED OF SPASTIC FIBRES. THE DIRECTION OF THE CONTACT IS ACROSS THE TENSE FIBRES FOUND. THE HEEL BONE CONTACT IS HELD AT THE SAME TIME TO ESTABLISH COORDINATED CORRECTION AND ENERGY FLOW BY POLARITY. HOLDING THESE TWO CONTACTS FOR JUST A FEW MINUTES WILL OFTEN PRODUCE ASTONISHING RESULTS. THE SHORT LEG WILL LENGTHEN AND THE BODY LINE UP ON THE GRAVITY STRING WILL BE NORMAL OR MUCH IMPROVED.

THIS CAN BE DONE ON EITHER SIDE OF THE BODY WHERE EVER THE SHORT LEG IS. THE POSITION OF THE PATIENT ON THE SIDE ASSISTS THE OPERATOR IN APPLYING LEVERAGE AT THE HEEL AND AT THE ACETABULUM TENSIONS FOUND. THIS UNIQUE MOVE OF DOUBLE CONTACTS CAN BE APPLIED TO OTHER BONES IN THE FOOT AND THE GLUTEI FIBRE TENSIONS. THERE IS AN ENERGY CURRENT FLOW ESTABLISHED IN THE PATIENT THRU THE RELEASE OF PENT UP WAVES IN THE HYPER TENSED AREAS. BETTER CONDUCTION IS ESTABLISHED THRU POLARITY CONTACTS.

FIG. 2 ILLUSTRATES GRAVITY PULL FROM THE HEEL BONE THRU THE SACRO ILIAC ARTICULATION TO THE OCCIPUT BY TWO STRAIGHT LINES. THE DOTTED LINES ILLUSTRATE ENERGY WAVES RADIATING FROM THE OCCIPUT PLUS MUSCLE PULL ON EACH SIDE OF BODY THRU THE HIP JOINTS, WHICH PRODUCE TONE AND CORRECT POSTURE OR DISTORTION OF THE BODY IN RELATION TO GRAVITY. THE EXTERNAL LINES OF POSTURE ARE FROM THE OCCIPUT THRU THE HIP JOINT TO THE HEEL ON EACH SIDE.




Fig. 2

CHART 57. POLARITY CONTACTS ON RIB HEADS AND SPASTIC SHOULDER MUSCLES FROM POSTERIOR TO ANTERIOR TO CLEAR BLOCKS OF DIGESTION AND LIVER FUNCTION.






FIG. 1. PATIENT SITTING UP OR LYING ON THE SIDE. THESE CONTACTS ON THE LEFT SIDE OF THE BODY ARE MOSTLY FOR INDIGESTION AND GAS. WHEN PRESENT THE RIB HEADS AND SHOULDER BLADE MUSCLES ARE VERY TENDER TO THE TOUCH. HOLD CONTACT MODERATELY FIRM UNTIL SORENESS IS LESS OR A GURLING RESPONSE FROM THE DIGESTION IS HEARD.




THE SHOULDER CONTACT IS HELD WITH PRESSURE UNTIL THE SPASTIC OR ROPE LIKE MUSCLES SOFTEN. THE AREA IS SUGGESTED BY THE SAME RIB HEADS ANTERIOR AND POSTERIOR.

POSITIVE CONTACT FINGER OF THE LEFT HAND FOR ANTERIOR CONTACTS.




CONTACT ON ANTERIOR RIB HEADS

○ NEUTER
- NEGATIVE
+ POSITIVE




ENERGY FLOW IS PROMOTED BY POLARITY CONTACTS FROM POSTERIOR TO ANTERIOR.



THUMB CONTACT ON POSTERIOR RIB HEADS AND POINTS OF THUMB CONTACTS ON SPASTIC MUSCLES ON THE SHOULDER BLADE.


CHART NO. 58. THE EAR CANALS AS THE SUPERIOR CENTERS OF GRAVITY IN THE HEAD, AROUND WHICH LOCAL CIRCUITS WHIRL.

TO INCREASE THE CENTRAL FUNCTION OF EAR, ONE FINGER CAN BE PLACED INTO THE EAR CANAL, GRASPING THE WHOLE LOBE FIRMLY BETWEEN IT AND THE THUMB OUTSIDE, MOVING AND STRETCHING THE OUTER TISSUE IN RELATION TO THE CENTER AND FIXED AREAS.



HAVE PATIENT HUM WHILE TAKING POLARITY TREATMENTS, IMPROVES THE EFFECT ON THE POSITIVE CONTACT. BODY AREAS WILL VIBRATE TO RIGHT PITCH. HIGHER LOCATIONS NEED A HIGHER PITCH, LOWER ONES A LOWER PITCH.


FIG. 3 GIVES THE REPRESENTATIVE AREAS OF THE BODY ON THE EAR. REDNESS, DISCOLORATION IN ANY ONE AREA CAN BE A DIAGNOSTIC CLUE, LIKE A



WHITE OR YELLOWISH DISCOLORATION IN THIS LUNG AREA FOR PNEUMONIA AND OTHER LUNG DISEASES. THE ABDOMEN IS REPRESENTED IN THE MIDDLE AREA OF THE EAR. THE PELVIS IS REPRESENTED BELOW THE EAR CANAL. A LARGE LOBE BELOW IT SHOWS GREAT VITALITY AND RESERVE ENERGY. IT IS EQUIVALENT TO BUTTOX TONE WHICH IS THE NEGATIVE POLE AND THE WRIST BRACELETS WHICH ARE THE NEUTER POLE AND INDICATORS OF VITAL FORCE. A PERSON WHO HAS BOTH CAN GO THROUGH ILLNESS WITH MORE ENERGY AND REACT BETTER TO THERAPY THAN THOSE WHO DO NOT HAVE THAT INHERITED SHARE OF VITALITY. THIS SIMPLE OBSERVATION IS OF VALUE TO THE DOCTOR. EARLOBES, WRIST LINES, BUTTOX TONE, SPELL RESERVE ENERGY.

FIG. 1 SHOWS THE CENTER OF THE EAR CANAL WITH ITS FOUR MAJOR DIRECTIONS OF GENTLE FORCE WHICH MAY BE APPLIED TO ILLICIT REFLEXES IN THE BODY. THE EAR CANAL IS THE POSITIVE POLE OF THE CENTER OF GRAVITY IN THE BODY. NORMALLY IT IS CONTROLLED BY THE SEMI-CIRCULAR CANALS AND FLUIDS THRU THE SOUND MECHANISM OF VIBRATORY WHIRLS AND IMPACTS. REFLEXES FROM THE BODY ALSO AFFECT IT. THIS CENTER HAS THE SAME RELATING POSITION TO THE HEAD AS THE UMBILICUS HAS TO THE BODY IN RELATIONSHIP TO PARTS ABOVE AND BELOW IT. THE MOTOR CENTER IN THE BACK RESPONDING TO BOTH, IS BETWEEN THE 2ND AND 3RD LUMBAR VERTABRAE. IT IS A STRAIGHT LINE THRU THE SENSORY UMBILICAL CENTER TO THE POSTERIOR SPINAL CENTER WHICH IS THE PHYSICAL WEIGHT AND GRAVITY CENTER OF THE BODY.

FIG. 2 GIVES TWO GENERAL LINES OF FORCE APPLIED TO THE ANTERIOR FOR SENSORY REFLEX RESPONSES.



THE TREGAS OR SMALL LOBE CAN ALSO BE GRASPED FIRMLY, STRETCHED, AND ROTATED WITH EXTENSION RELEASING ENERGY BLOCKS FOR BETTER FUNCTION OF HEARING. THESE MOVES HAVE DEFINITE REFLEXES THROUGH SOUND WAVES ON THE CENTRAL CORE OF THE BODY'S ENERGY COLUMN.

FIG. 4 SHOWS THE DOUBLE APPLICATION OF THE LITTLE FINGERS IN THE EARS TO CLEAR LOCAL REFLEXES AND TENDERNESS FOUND IN MOST EAR CANALS.

THE TWO GENERAL LINES OF DIRECTIONAL FORCE WHICH MAY BE APPLIED TO THE CANAL POINT TO THE POSTERIOR FOR MOTOR REFLEX RELEASE. THIS CAN BE POLARIZED BY APPLYING ONE CONTACT ON ANY ANTERIOR PART OF THE BODY WITH A POSITIVE FINGER.



GURGLING SOUNDS MAY BE HEARD AS ABDOMINAL REFLEXES RESPOND FROM THIS AREA. IT IS A VALUABLE AID TO RELAXATION TO CLEAR THE POSITIVE SOUND AREA WHIRLS AND FIELDS. SEE CHART NO. 8. CRANIAL BONE CORRECTIONS HAVE THEIR KEY CENTER HERE THRU THE SPHENOID BONE. TEST FOR DIRECTIONS BY THE REACTIONS IN ANY OF THE FOUR MAJOR LINES OF FORCE SHOWN HERE.

CHART NO.59. PRINCIPLES OF LOCAL WIRELESS CURRENT FLOW IN THE BODY AND HOW IT CAN BE INFLUENCED BY POLARITY CONTACTS TO FLOW FROM THE CIRCUMFERENCE TO THE CENTER.






CHART NO.60. THE NEGATIVE REFLEXES OF THE COLON FOUND IN THE LEGS BETWEEN THE TIBIA AND THE FIBULA.

THE NEGATIVE POLE OF THE COLON IS IN THE LEGS AS ILLUSTRATED. ACHING LEGS AND KNEE JOINT PAINS ESPECIALLY ALONG THE OUTSIDE OF THE SHIN BONES ARE COLONIC REFLEXES OF IRRITATION, STAGNATION AND GAS PRESSURE. THEY CAN CAUSE HEADACHES AND HEART SYMPTOMS.

CONTACT 1, FROM THE ARCH OF THE FOOT TO THE COLON REFLEX AREA ON THE LEG.

CONTACT 2. FROM THE OUTSIDE OF THE FOOT TO THE COLON REFLEX AREA BETWEEN THE TIBULA AND FIBULA, ALSO STRAIGHTENING THE FOOT BY HOLDING THE CONTACTS.




MANIPULATIVE MOVEMENTS IN THE DIRECTION OF THE ENERGY FLOW ARE SOOTHING. MOVEMENTS OPPOSITE TO IT ARE STIMULATING IN EFFECT.


ON THE RIGHT LEG ANTERIOR THE ENERGY FLOWS TOWARD THE FOOT ON THE LEFT LEG ANTERIOR - AWAY FROM THE FOOT AND UPWARD. FISHES SHOW ENERGY FLOW ANTERIORLY.

CONTACT 3. CONTACT ON THE SAME COLON AREA ON THE LEG MAY BE HELD ANYWHERE ON THE DOTTED LINE AND ANOTHER CONTACT ON THE COLON ITSELF CAN BE MADE TO BALANCE THE NEUTER POLE ABOVE WITH THE NEGATIVE BLOCKS BELOW TO ELIMINATE THEM. THE OBJECT IS POLARITY OF CURRENT FLOW NOT MASSAGING. ALL CONTACT SHOULD BE MADE WITH THE SAME ATTENTION AS STRIKING KEYS ON THE PIANO OR TYPEWRITER.

CHART NO. 61. CO-ORDINATED POLARITY STIMULATION OF THE AIRY REFLEX CENTERS IN THE ARCHES OF THE FEET WITH THE COLON AND ITS REFLEX CENTERS IN THE LEGS.



PATIENT IS ON THE TABLE. THE DOCTOR STANDS ON THE LEFT SIDE WITH HIS LEFT HAND OVER THE TOES OF LEFT FOOT, THE FINGERS SUPPORTING THE JOINTS UNDER THE ARCH OF THE FOOT. THE CONTACT BENDS THE TOES DOWN FIRMLY LIFTING AND STRETCHING THE ARCH. THE TENSION IS HELD FOR A MOMENT, THEN IS RELAXED AND THE MOVEMENT REPEATED SEVERAL TIMES. THIS STIMULATES THE BRACHIAL RESPIRATORY POSITIVE CENTER BY REFLEX ACTION. THE SAME CAN BE DONE ON THE RIGHT WITH THE OPPOSITE HAND ON THESE AREAS. THE RIGHT HAND IS OVER THE LEFT LEG WITH THE THUMB PRESSING ON THE DENSE AND CONTRACTED TISSUE BLOCKS IN THE COLON REFLEX AREA BETWEEN THE TIBIA AND FIBULA. COORDINATED ACTION IN THESE TWO AREAS SEND THEIR REFLEXES TO THEIR RESPECTIVE POSITIVE AND NEUTER AIRY




CENTERS ABOVE FOR BETTER INTAKE OF OXYGEN AND ELIMINATION OF CO₂; ALSO RELEASING GASES FROM THE STAGNANT NEUTER COLON.

THE DOCTOR STANDS ON THE LEFT SIDE OF THE PATIENT AND HIS LEFT HAND IS OVER THE MIDDLE OF THE ARCH OF THE LEFT FOOT AND THE THUMB MAKES A FIRM CONTACT BELOW THE LEFT ANKLE ON THE OUTSIDE OVER THE REFLEX AREA OF THE SIGMOID AND THE PSOAS MUSCLE. SEE CHART 17, PAGE 24, BOOK 2. THE FOOT IS ROTATED OUTWARD AND HELD WHILE THE RIGHT HAND THUMB AND FINGERS CONTACT THE AREA OVER THE SIGMOID OR PSOAS MUSCLE ON THE ABDOMEN. THIS CAN BE USED ON EITHER SIDE FOR THE RELEASE POLARITY CURRENT REFLEXES. THIS ARCH CONTACT CAN ALSO BE USED IN CONNECTION WITH WORKING THE COLON REFLEXES BETWEEN THE TIBIA AND FIBULA. AS THE DOCTOR STANDS ON EITHER SIDE OF THE PATIENT THESE CONTACTS BECOME THE NATURAL POSITION FOR THE HANDS WITHOUT CROSSING THEM OVER EACH OTHER.

FOR PROSTATIC AND UTERINE TREATMENTS THE LEFT CONTACT GOES A LITTLE LOWER ON THE HEEL WITH THE RIGHT HAND OVER THE MUSCLES OF THE SYMPHYSIS PUBIS.

CHART NO. 62. NEGATIVE AND NEUTER REFLEX AREAS IN THE BODY FOR THE TREATMENT OF LUMPS IN THE BREASTS, ALSO AORTIC REFLEXES IN THE LEGS.




THE BREASTS ARE SECRETORY GLANDS ON THE ANTERIOR SUPERIOR PORTION OF THE BODY. THE MAMMAE HAVE A DIRECT REFLEX TO THE UTERUS IN THE FEMALE AND TO THE PROSTATE IN THE MALE VIA THE FINER CENTRAL CORE WIRELESS ENERGY CURRENTS OF THE CADUCEUS. THE NEUTER SENSORY REFLEX OF THIS WATERY TRIAD IS IN THE PELVIS ANTERIORLY AND IN THE BUTTOX POSTERIORLY AS A MOTOR VITAL REFLEX. CONGESTIONS, LUMPS AND VERY SENSITIVE SPOTS IN THE BUTTOX HAVE A RELATIONSHIP TO THE BREAST AND ITS STAGNANT AREAS. THE MOST NEGATIVE POLE IS ON THE BACK OF EACH LEG AS MARKED HERE, WHICH GIVE DIRECT REFLEXES TO THE BREAST AND THE NIPPLES. THESE AREAS ARE USUALLY VERY TENDER ON THE LEGS. WORKING ON THE LEG AREA WITH ONE HAND AND ON THE BUTTOX OR BRACHIAL AREA WITH THE OTHER, POLARIZES THE ACTION IN THESE TWO FIELDS. WHEN THE SHOULDER AREA IS INCLUDED AND AND THE REFLEXES BALANCED WITH THE NEGATIVE AND NEUTER POLES, THE BREASTS FUNCTION BETTER BY THE WIRELESS CURRENT FLOW. WITH THE PATIENT ON THE SIDE, A GENTLE ROCKING MOTION IS THE PROCEDURE ON EITHER TWO AREAS AT ONCE. OR WITH THE PATIENT LYING FACE DOWN, A GENTLE ROCKING MOTION HEADWARD IS APPLIED BY ANY TWO CONTACTS.

THE BREASTS ARE NOT TREATED DIRECTLY. THE CALVES OF THE LEGS WILL ACT AS A DIVERSION TREATMENT WHEN HEAT OR COUNTER-IRRITANTS ARE APPLIED. BLISTERING IN THIS AREA GIVES EXCELLENT REACTIONS BECAUSE IT IS IN THE NEGATIVE FIELD WHERE THE REAL CLOGGING EXISTS IN THE ENERGY FIELD AND IN THE TISSUES.

THE BACK OF THE KNEES ARE REFLEXES OF THE ABDOMINAL AORTA. OFTEN WE FIND AN ENLARGEMENT THERE OF THE TIBIAL ARTERY WHICH THROBS. ON THE LEFT LEG IT INDICATES BACK PRESSURE IN THE ABDOMINAL AORTA AND HEART DAMAGE. THE THROMBOSIS IS CAUSING SUFFICIENT PRESSURE TO DILATE THE ARTERY HERE LIKE A BULB. IT SHOULD BE SUPPORTED BY AN ELASTIC BANDAGE, AND THE RESISTANCE AREA POLARIZED. IT IS USUALLY BELOW THE DILATION WHERE THE THROMBOSIS IS ACTIVE IN ARTERIAL OBSTRUCTION. ABOVE THE DILATION OR ULCER IN VENOUS OBSTRUCTION LEECHES APPLIED TO RELIEVE THIS BLOCK BELOW THE ARTERIAL DILATION IS THE ONLY LOGICAL PROCEDURE. THIS HAS TO BE REPEATED SEVERAL TIMES BECAUSE ARTERIES ARE LOCATED DEEPER AND DRAINAGE THROUGH THE CAPILLARIES MUST BE RELIED UPON. THE KING OF ENGLAND HAD AN ARTERIAL THROMBOSIS. THE NEUTER POLE AREA AROUND THE UMBILICUS SHOULD BE FREED.

CHART NO. 64. A POSTURE STRETCH FOR YOUTHFUL ELASTICITY THROUGH THE RELEASE OF VITAL FORCE AND BLOCKED ENERGY CIRCUITS IN THE HEAVY PELVIC MUSCLES, FREEING THE HIP JOINTS BY GENTLE STRETCHING THROUGH ROCKING MOTIONS.



THIS POSTURE IS STARTED WITH THE FEET FARTHER APART THAN THE POSTURE DESCRIBED IN CHART NO. 63. JUST COMFORTABLE TO ACCOMPLISH A STRETCH AND MOTION ON OPPOSITE MUSCLES AND TISSUES. THE PERSON EASES INTO THIS POSTURE SLOWLY AND GRADUALLY, WITHOUT FORCE, KEEPING THE HEELS ON THE FLOOR. THE ARMS ARE PLACED ON THE INSIDE OF KNEES, THE HANDS ARE CLASPED, PUSHING THE KNEES APART GENTLY AND COMFORTABLY UNTIL THE STRETCH IS FELT IN THE THIGHS AND THE HIPS. THE THUMBS SUPPORT THE HEAD WHICH IS BENT FORWARD. NOW A GENTLE ROCKING MOTION IS STARTED FOR BALANCE OF FORCES AND THEIR RELEASE IN MOTION. FORWARD, BACKWARD, FROM SIDE TO SIDE AND ROTATION IF CONVENIENT. TWO OR THREE MINUTES SEVERAL TIMES A DAY ARE SUFFICIENT FOR FINE RESULTS. THE HIP JOINTS WILL BE FREED AND THE SACRO-ILIAC ARTICULATIONS AND THE LUMBAR VERTABRAE WILL BENEFIT BY THIS POLARITY NORMALIZING MOVEMENT. DEEP TENSION, SPASMS, AND TISSUE STAGNATIONS WILL DISAPPEAR. THE ELASTICITY OF THE STEP WILL COME BACK AS WELL AS THE PLEASURE OF WALKING. BENEFITS WILL BE FELT BY YOUNG AND OLD ALIKE. DAILY PRACTICE DOES IT. WASTED AND FLABBY TISSUES WILL BE TONED AND TAKE ON A NORMAL APPEARANCE. THE SAGGING BUTTOX WHICH IS THE SIGN OF VITAL EXHAUSTION WILL BECOME NORMAL AGAIN, THROUGH PERSERVERANCE OF PRACTICE, AIDED BY QUICK COLD SHOWERS OVER THE BUTTOX AND HIPS. FOR THE SHORT TIME AND EFFORT SPENT IN THIS VITAL POSTURE, VITAL EFFECTS WILL BE NOTICED BY EACH PERSON, YOUNG OR OLD. SYMPTOMS AND PAINS WILL CHANGE WHEN LIFE CURRENTS FLOW AGAIN. THE FLUSH IN THE CHEEKS WILL BE FELT IN THE POSTURES. THE SPARKLE IN THE EYES CAN FOLLOW IF CONTINUED. A YOUTHFUL LIFE AT 65 IS POSSIBLE THROUGH POLARITY ENERGY CURRENTS FLOWING IN THEIR FIELDS AGAIN.

THIS POSTURE FREES ENERGY IN THE PELVIS WHICH CAN BE USED BY CONTACTS OF THE HANDS AND THUMBS ON THE POSITIVE POLE OF THE HEAD FOR THE RELEASE OF REFLEX ACTIONS ALMOST ANYWHERE IN THE BODY IN SELF TREATMENT. THE TWO THUMBS ON THE BRIDGE OF THE NOSE, AND HAND TOUCHING THE FOREHEAD AFFECTS THE CENTRAL AREA OF THE BODY. A ROCKING MOTION ACTIVATES ALL THESE CONTACTS. THE HANDS CAN BE PLACED ON TENDER SPOTS ON OPPOSITE SIDES OF THE HEAD, IN FRONT AND BACK DIAGONALLY OPPOSED AND HELD WHILE ROCKING AND STRETCHING IN ALL DIRECTIONS FOR RELEASE. IT CAN ALSO BE USED FOR HEAD MOULDING IN THIS MANNER. FINGERS CAN BE LOCKED OVER THE TOP OF THE HEAD TO MOULD THE PARIETALS. IT IS POLARITY REACTION WHICH IS THE ACTIVE FACTOR IN ALL THESE RESPONSES. THE AREA UNDER THE LOWER JAW GIVES DEFINITE PELVIC RESPONSES, FOR TONING OR RELEASE OF TENSION. USING THE LEFT THUMB OR THE FIRST AND RING FINGERS FOR TONING CONTACTS. THE RIGHT THUMB AND SECOND OR THE LITTLE FINGER POSITIVE RELEASE THE ROOF OF THE MOUTH GIVES A RANGE OF REFLEXES THAT ARE ASTONISHING. ONE THUMB FITS PERFECTLY ON IT WHILE IN THIS POSTURE. THE RIGHT THUMB WILL OPEN THE SINUSES INSTANTLY AND HELP DRAINAGE IN COLD ETC. STOMACH REFLEXES CAN BE ELICITED AT ONCE, IF YOU REACH BACK FAR ENOUGH. THE TONGUE ALSO HOLDS A HOST OF REFLEX RESPONSES TO CONTACTS. A FEW SECONDS ON THE RIGHT REFLEX DOES WONDERS.